



Crug
Farm
Plants

2010

*Brilliant all-rounders
Crug Farm Plants.*

The internet has transformed
our shopping habits.

Val Bourne picks the best
online companies Top 20 Mail
Mail-order nurseries

TELEGRAPH

Andrea Jones writes:

*Their plant list makes jaw-
dropping reading for novice and
experienced horticulturists alike.*

ENGLISH GARDEN

Stephen Lacey writes:

*I went into the garden with an
umbrella squeezing and ducking
through foliage as lush as a
wooded Asian Valley- ...all
wonderful stuff*

TELEGRAPH



It is the time of autumn gales again as I write the epilogue to 2009, a brilliant year for the nursery I must confess, especially as you our customers are learning that it is far better to plant in the autumn. As it was last year our extending into offering bare-rooted field

grown plants has widened our scope. This combined with customers arranging appointments during the summer to tag plants for lifting in the dormant months has given new impetus to our sales. Undeniably the quality mailorder service we are providing is also paying off, therefore Sue and I would like to thank and congratulate our staff for their achievements in 2009. Oh yes, our customers as well, must not forget a special thank you for supporting us.

Alas still no collecting this season, bar a few on our visit to the Azores. At least it is forcing us to concentrate our efforts on the collections that we still have undeveloped, that will take several more years along with some skilful propagation. But we are hopeful in getting back 'into the field' for next year.

The year started on a high note with our first RHS show at Vincent Square, soon followed by an exceptionally good spring. With some blistering heat by mid summer followed on by record high winds and dull skies until a short Indian summer regained our spirits in time for the visit by The RHS Woody Committee in early October.

As always all the details of our opening hours are on the back cover of this list as well as our events. For those of our customers who are unable to visit the nursery we are offering an online shopping experience, with deliveries throughout the UK and Europe, from **www.mailorder.crug-farm.co.uk**. Where there are search facilities by many criteria (i.e. colour), as well as by plant name, while indicating availability, pot sizes and prices. Our carrier, City Link offer an overnight fragile service, which should have your plants delivered in fresh condition before 5.30pm the following day to dispatch (UK). We have specially made boxes in 3 sizes giving us the option of dispatching plants from 30cm (1ft) to 295cm (10ft) tall. Our carriage charges are by **the box**, (volume not weight) hence please consider ordering enough plants to fill a box, rather than one plant as the carriage charge would be the same. There is no minimum charge for the plants purchased. For additional queries on plant availability etc contact Sue at **mailorder@crug-farm.co.uk**. We try our best to reply to any queries, a brief e-mail can be the surest way of a prompt reply. For any other information visit our nursery website via **www.crug-farm.co.uk** where there is additional information on our events, accommodation and some seasonal plantings.

Please note the lay-out of the following list avoiding repetition of collected plants, (**etc** signifying more collections available) the full list and descriptions are on our mailorder web-site where space is unlimited. Here there are not only descriptions of all of our plants, but photographs of most as well, this information is also accessible on the computer in our sales-area. We should forewarn our customers that as the season progresses many of our lines will be out of stock. Conversely new lines highlighted **bold** on this list, will only be offered/available after we re-open our on-site sales in the spring (13th March in 2010). Please note that some of the plants are ordinarily only available bare rooted ❁ indicates those plants.

Collector's References

These combination of initials and numbers are accession numbers that are assigned to collections we and others gather from wild populations from all over the world. These are assigned to each collection as they are made to enable interested parties to track their origins. The list of initials below are those assigned to our own collections as well as a few other collectors we introduce plants from.

- BSSS Crûg Expedition, Jordan 1991
- BSWJ Bleddyn & Sue Wynn-Jones
- BWJ Bleddyn Wynn-Jones
- CNDSC C. Nelson & D. Sayers
- CWJ Finlay Colley & Bleddyn Wynn-Jones Taiwan 2007
- DJH Daniel J. Hinkley (followed by country and year code)
- EDHCH Eric Hammond China 1997
- GWJ Sally Goddard, B. & S. Wynn-Jones
- HWJ Crûg-Heronswood Joint Expeditions, Vietnam
- HWJCM Crûg-Heronswood Joint Expedition, E. Nepal 1995
- HWJK Crûg-Heronswood Joint Expedition, E. Nepal 2002
- KWJ Crûg-World of Ferns Joint Expedition Vietnam 2007
- RH M. Rickard & R. Hayward
- RWJ Crûg-Rickard's Ferns Joint Expedition to Taiwan 2003
- WWJ Peter Wharton & Bleddyn Wynn-Jones, Vietnam 2006-7

Abbreviations

- aff. affinity to (bearing a similarity to)
- etc additional collections available
- f. forma
- sp. species
- ssp. subspecies
- x hybrid
- v. variety
- ❁ plants only available bare root (open ground)

A

- (*Araliaceae*) Acanthopanax cissifolius BWJ7713
 - hypoleucus BSWJ5532
 - aff. nakaianus BSWJ5027
 - sciadophylloides BSWJ4728
 - senticosus v. koreanus BSWJ4568
 - sessiliflorus BSWJ4528 etc ❀
- (*Aceraceae*) Acer buergerianum v. formosanum
 CWJ12477
 - campbellii v. fansipanense
 BSWJ8270 etc
 - v. serratifolium GWJ9360 ❀
 - capillipes BSWJ11355
 - carpinifolium BSWJ10955 etc
 - caudatifolium BSWJ7053 etc
 - caudatum GWJ9279 etc ❀
 - ssp. ukurunduense BSWJ8658 ❀
 - circinatum **BSWJ9565** ❀
 - cissifolium BSWJ10801
 - crataegifolium BSWJ11036 etc
 - erythranthum BSWJ11733 etc
 - **fabri WWJ11614** etc
 - forrestii BWJ7515 ❀
 - heptaphlebium BSWJ11713 etc
 - japonicum BSWJ8417 ❀
 - kawakamii BSWJ6734 etc
 - **laevigatum BSWJ11684**
 - **mono v. marmoratum f.**
 dissectum BSWJ8914 ❀
 - morifolium BSWJ11473
 - morrisonense BSWJ6710 etc
 - **oblongum KWJ12232** etc
 - oliverianum ssp. formosanum
 CWJ12437 etc
 - palmatum ssp. amoenum
 BSWJ10916 etc
 - v. coreanum BSWJ8606 ❀
 - ssp. matsumurae BSWJ11100 etc
 - v. micro-sieboldianum
 BSWJ8766 ❀
 - pectinatum GWJ9354 ❀
 - pseudosieboldianum
 BSWJ8746 etc
 - reticulatum BSWJ11698
 - rubescens BSWJ6735 etc
 - rufinerve BSWJ11571 etc
 - serrulatum BSWJ6760 etc
 - shirasawanum v. tenuifolium
 BSWJ11096
 - sieboldianum BSWJ11049 **etc**
 - v. tsushimense BSWJ10962 etc
 - sikkimense from northern
 Vietnam BSWJ11613 etc
 - stachyophyllum BSWJ8101

(<i>Aceraceae</i>)	<i>Acer</i>	takesimense BSWJ8500 etc
	-	tataricum ssp. aidzuense BSWJ10958
	-	tegmentosum BSWJ8421 ❀
	-	tonkinense ssp. liquidambarifolium DJHV06173
	-	truncatum v. barbinerve BSWJ8806 ❀
(<i>Berberidaceae</i>)	<i>Achlys</i>	japonica
	-	triphylla
(<i>Ranunculaceae</i>)	<i>Aconitum</i>	albo-violaceum v. albiflorum BSWJ4105 etc
	-	- v. purpurea BSWJ8477
	-	arcuatum BSWJ774
	-	austroyunnanense BSWJ7902
	-	bartlettii BSWJ337
	-	bulbilliferum HWJK2120
	-	carmichaelii v. truppelianum HWJ732
	-	chiisanense BSWJ4446
	-	episcopale
	-	ferox from Nepal HWJK2217 ❀
	-	fischeri BSWJ8809
	-	fukutomei v. formosanum BSWJ3057
	-	hemsleyanum
	-	jaluense BSWJ8741
	-	japonicum ssp. montanum BSWJ5507
	-	- ssp. subcuneatum BSWJ6228
	-	laciniatum GWJ9254 etc
	-	longecassidatum BSWJ8486 etc
	-	loczyanum BSWJ11529
	-	napiforme BSWJ943
	-	proliferum BSWJ4107
	-	pseudolaeve BSWJ8663
	-	- v. erectum BSWJ8466
	-	seoulense BSWJ694 etc
	-	sp. from Burma CNDS036
	-	sp. from Northern India GWJ9393 etc
	-	spicatum GWJ9418 etc
	-	uchiyamai BSWJ1005 etc
	-	vilmorinianum BSWJ8055
	-	yamazaki
	-	aff. zigzag v. ryohakuense BSWJ8906
(<i>Ranunculaceae</i>)	<i>Actaea</i>	alba (<i>see pachypoda</i>)
	-	arizonica
	-	asiatica from China BSWJ8174 etc
	-	- from Japan BSWJ6351 etc

- (*Ranunculaceae*) *Actaea*
- asiatica from Korea BSWJ4546 etc
 - biternata BSWJ5591 etc
 - dahurica BSWJ8613 etc
 - frigida BSWJ2966 etc
 - heracleifolia BSWJ8843
 - japonica BSWJ5828 etc
 - - from Cheju Do BSWJ8758a etc
 - - v. acutiloba BSWJ6257
 - mairei BWJ7939 etc
 - matsumurae BSWJ11528 **etc**
 - pachypoda
 - podocarpa
 - rubra
 - rubra BSWJ9555
 - - f. neglecta
 - simplex BSWJ8664 etc
 - - 'Atropurpurea'
 - spicata
 - - native form
 - taiwanensis BSWJ3413 etc
 - yesoensis BSWJ6355 etc
- (*Actinidiaceae*) *Actinidia*
- arguta BSWJ4592 etc
 - - 'Shoko' (F) BSWJ569
 - - 'Unchae' (M) BSWJ569
 - hypoleuca BSWJ5942 etc
 - kolomikta
 - - multiple seedlings of BSWJ4243
 - - 'Tomoko' (F) BSWJ4243
 - - 'Yazuaki' (M) BSWJ4243
 - latifolia BSWJ3563
 - petelotii HWJ628
 - pilosula
 - polygama from Japan BSWJ5444 etc
 - -from Korea BSWJ8544 etc
 - rufa BSWJ6885 etc
 - sp. from China BWJ8161
 - aff. strigosa HWJK2367
 - tetramera BSWJ3564
- (*Campanulaceae*) *Adenophora*
- capillaris v. leptosepala BWJ7986
 - aff. coelestis BWJ7998
 - grandiflora BSWJ8555 etc
 - jasionifolia BWJ7946
 - lamarckii BSWJ8738
 - morrisonensis RWJ10008 etc
 - radiatifolia BSWJ8608
 - remotiflora BSWJ11016 **etc**
 - **takedae BSWJ11424**
 - **tetraphylla BSWJ8608**
 - triphylla BSWJ10936
 - - v. japonica BSWJ8835 etc
 - uehatae BSWJ126 etc

(Hippocastanaceae)	Aesculus	wangii WWJ11886
(Lamiaceae)	Agastache	rugosa BSWJ4187
	-	- 'Korean Zest' BSWJ735
(Simaroubaceae)	Ailanthus	altissima v. tanakai BSWJ6777 etc
(Asteraceae)	Ainsliaea	acerifolia BSWJ4795
	-	- v. subapoda BSWJ11537
	-	apiculata BSWJ11397
	-	- v. acerifolia BSWJ6059
	-	chapaensis BSWJ11720
	-	aff. elegans BSWJ11720
	-	nervosa BSWJ11344
	-	petelotii BSWJ11732
	-	tonkinensis BSWJ11819
(Lardizabalaceae)	Akebia	longeracemosa BSWJ3606
	-	X pentaphylla BSWJ2829
	-	quinata BSWJ4102 etc
	-	- 'White Chocolate' BSWJ8415
	-	- white flowered form
	-	trifoliata BSWJ5063 etc
	-	tuberosum BSWJ8881
(Alliaceae)	Allium	pendula BSWJ10895
(Betulaceae)	Alnus	japonica BSWJ8889
(Zingiberaceae)	Alpinia	poilanei BSWJ11756
(Hamamelidaceae)	Altingia	kiusianus BSWJ4845
(Araceae)	Amorphophallus	sikkimensis HWJK2066
(Vitaceae)	Ampelocissus	megalophylla
(Vitaceae)	Ampelopsis	convexus BSWJ6624 etc
(Gesneriaceae)	Ancylostemon	apennina double blue
(Ranunculaceae)	Anemone	chapaensis HWJ631
	-	flaccida
	-	hupehensis BWJ8190 etc
	-	- v. japonica BSWJ4886
	-	- - 'Pamina' ✿
	-	X hybrida 'Honorine Jobert' ✿
	-	- 'Lady Gilmour' ✿
	-	- 'Margarete' ✿
	-	- 'Queen Charlotte' ✿
	-	- 'Richard Ahrens' ✿
	-	- 'Rosenschale' ✿
	-	- 'Whirlwind' ✿
	-	keiskeana
	-	leveillei
	-	leveillei BWJ7919
	-	X lipsiensis
	-	matsudai BSWJ1452 etc
	-	palmata ✿
	-	pseudoaltaica
	-	rivularis from China BWJ7611
	-	- from India GWJ9391
	-	- from Nepal HWJK2353
	-	sumatrana BSWJ11265
(Ranunculaceae)	Anemonella	thalictroides

(<i>Ranunculaceae</i>)	Anemonella	thalictroides - 'Cameo'
-	-	- f. rosea
(<i>Ranunculaceae</i>)	Anemonopsis	macrophylla
-	-	- 'White Swan'
(<i>Apiaceae</i>)	Angelica	aff. acutiloba v. iwatensis
-	-	BSWJ11197
-	-	aff. anomala BSWJ10886
-	-	dahurica BSWJ8603
-	-	decursiva BSWJ5746
-	-	edulis BSWJ10968
-	-	gigas BSWJ4170
-	-	japonica BSWJ11480 etc
-	-	morii RWJ9802
-	-	pubescens BSWJ5593 etc
-	-	- matsumurae BSWJ6387
-	-	sp. from Guatemala BSWJ10345
-	-	(see <i>Prionosciadium</i>)
-	-	aff. ursina BSWJ10829
(<i>Papilionaceae</i>)	Apios	americana
(<i>Ranunculaceae</i>)	Aquilegia	buergeriana v. oxysepala
-	-	BSWJ4775 etc 🌸
-	-	rockii BWJ7965 🌸
-	- x Semiaquilegia	hybrid blue
(<i>Davalliaceae</i>)	Araiostegia	parvipinnata BSWJ1608
(<i>Araliaceae</i>)	Aralia	apioides EDHCH9720
-	-	armata BSWJ6719 etc
-	-	bipinnata RWJ10101
-	-	cachemirica
-	-	californica
-	-	chapaensis HWJ723 etc
-	-	aff. chinensis BWJ8102
-	-	continentalis BSWJ4152 etc
-	-	cordata BSWJ5511 etc
-	-	decaisneana BSWJ3588 etc
-	-	elata BSWJ 5480
-	-	foliolosa BSWJ8360
-	-	kansuensis BWJ7650 etc
-	-	racemosa BSWJ9570
-	-	aff. searelliana BSWJ11376
-	-	spinifolia BSWJ11745
-	-	vietnamensis BSWJ12349e
(<i>Myrsinaceae</i>)	Ardisia	japonica BSWJ1032
-	-	- v. minor BSWJ3809 etc
(<i>Araceae</i>)	Arisaema	consanguineum BSWJ071 etc
-	-	formosanum BSWJ280 etc
-	-	- f. stenophyllum BSWJ1477 etc
-	-	- v. bicolorifolium BSWJ3528 etc
-	-	grapsospadix BSWJ7000
-	-	kelung-insulare BSWJ256 etc
-	-	petelotii BSWJ9706
-	-	polyphyllum BSWJ3904 etc
-	-	ringens f. praecox BSWJ1515 etc
-	-	- f. sieboldii BSWJ551 etc
-	-	taiwanense BSWJ269 etc

(<i>Araceae</i>)	Arisaema	taiwanensef. cinereus BSWJ1912 etc
	-	- v. brevipedunculatum BSWJ1859 etc
	-	thunbergii ssp. autumnalis BSWJ1425 etc
(<i>Araceae</i>)	Arisarum	proboscideum
(<i>Iridaceae</i>)	Aristea	ecklonii
(<i>Aristolochiaceae</i>)	Aristolochia	cucurbitifolia BSWJ7043
	-	griffithii BSWJ2118
	-	heterophylla BSWJ3109
	-	kaempferi BSWJ293
	-	lukuensis BSWJ4960
	-	manshuriensis BSWJ4284
	-	moupinensis BSWJ8181
	-	onoei BSWJ4960
	-	sempervirens
(<i>Apiaceae</i>)	Arracacia	sp. BSWJ9023
(<i>Asteraceae</i>)	Artemisia	kawakamii BSWJ088
(<i>Araceae</i>)	Arum	'Chameleon'
	-	italicum 'Marmoratum'
	-	- 'Spotted Jack'
(<i>Rosaceae</i>)	Aruncus	aethusifolius 'Little Gem' BSWJ 4475
	-	asiaticus BSWJ8624
(<i>Aristolochiaceae</i>)	Asarum	albomaculatum BSWJ1726 etc
	-	campaniforme
	-	canadense
	-	caudatum
	-	- 'Album'
	-	caudigerum BSWJ1517 etc
	-	caulescens BSWJ 5886 etc
	-	delavayi
	-	epigynum 'Silver Web' BSWJ3442
	-	europaeum
	-	fauriei
	-	hartwegii
	-	himalaicum GWJ9341 ❀
	-	hypogynum BSWJ3628 etc
	-	infrapurpleum BSWJ1994 etc
	-	- 'Taroko Web' BSWJ209
	-	leptophyllum BSWJ1983 etc
	-	macranthum BSWJ1691 etc
	-	maculatum BSWJ1114 etc
	-	marmoratum
	-	maximum
	-	nipponicum BSWJ2839
	-	petelotii HWJ1043
	-	pulchellum
	-	sieboldii
	-	splendens
	-	taipingshanianum BSWJ1688 etc
	-	- 'Elfin Yellow' BSWJ1746

- (*Aristolochiaceae*) Asarum wulingense
 (*Asparagaceae*) Asparagus aff. meiocladus BSWJ8309
 - **schoberioides BSWJ8814**
 (*Convallariaceae*) Aspidistra attenuata BSWJ377
 - daibuensis BSWJ312b
 - mushaensis BSWJ1953
 - aff. - 'Spotty Dotty' BSWJ1949
 - aff. saxicola 'Uan Fat Lady'
 - sutepensis BSWJ5216
 - hayatae BSWJ8790
 (*Asteraceae*) Aster cavaleri
 (*Ranunculaceae*) Asteropyrum chinensis BWJ8178 ✿
 (*Saxifragaceae*) Astilbe - v. davidii BSWJ8583 etc ✿
 - koreana BSWJ8611 etc
 - longicarpa BSWJ6711
 - microphylla BSWJ11085
 - rivularis GWJ9366 etc ✿
 - v. myriantha BWJ8076a
 - thunbergii v. congesta
 BSWJ10961
 - **v. aff. formosa BSWJ10946**
 - v. hachijoenensis BSWJ5622
 - **v. okuyamae BSWJ10975**
 - v. sikokumontanum
 BSWJ11164
 - v. terrestris BSWJ6125
 (*Apiaceae*) Astrantia 'Buckland'
 - major 'Rubra'
 - ssp. involucrata 'Shaggy'
 - 'Sunningdale Variegated'
 - maxima
 - minor
 (*Aucubaceae*) Aucuba japonica f. longifolia
 - 'Salicifolia'
 - **'Viridis'**
 - omeiensis BWJ8048

B

- (*Ranunculaceae*) Beesia calthifolia
 (*Begoniaceae*) **Begonia** **annulata HWJK2424**
 - 'Candy Floss' BWJ7858
 - chapaensis HWJ642
 - chitoensis BSWJ1954
 - grandis ssp. evansiana
 - - 'Pink Parasol' BSWJ5702
 - - 'Sapporo'
 - **sikkimensis BSWJ2692**
 - aff. pedatifida DJHC98473
 - 'Pink Lady' BWJ8119
 - putii BSWJ7245
 - sinensis BWJ8133
 - 'Red Undies' BWJ8011
 - sp. from China BWJ7840
 - taliensis EDHCH042

(<i>Begoniaceae</i>)	Begonia	'Wild Swan' BWJ7772
(<i>Iridaceae</i>)	Belamcanda	chinensis BSWJ8692b
	-	- 'Crûg Colossal' BSWJ11373
(<i>Flacourtiaceae</i>)	Berberidopsis	corallina
(<i>Berberidaceae</i>)	Berberis	amurensis v. latifolia BSWJ8539 etc
	-	goudotii BSWJ10769
	-	insignis v. insignis BSWJ2432 etc
	-	aff. verticillata BSWJ10672
	-	virescens BSWJ2646d
(<i>Saxifragaceae</i>)	Bergenia	pacumbis BSWJ2693
(<i>Betulaceae</i>)	Betula	alnoides BSWJ11751
	-	dahurica BSWJ8462 ❀
	-	ermanii BSWJ8801
	-	utilis GWJ9259 etc
(<i>Asteraceae</i>)	Bidens	aurea BSWJ9049
	-	triplinervia from Colombia BSWJ10696
	-	- from Mexico BSWJ10276
(<i>Blechnaceae</i>)	Blechnum	chilense
(<i>Rutaceae</i>)	Boenninghausenia	albiflora BSWJ1479 etc
	-	- pink tinged BSWJ3112
	-	japonica BSWJ4876 etc
(<i>Alstroemeriaceae</i>)	Bomarea	aff. acuminata BSWJ10617
	-	acutifolia BSWJ9094 etc
	-	boliviensis
	-	caldasii
	-	costaricensis BSWJ10467
	-	edulis BSWJ9017
	-	frondea
	-	hirsuta BSWJ10774
	-	multiflora BSWJ10681
(<i>Saxifragaceae</i>)	Boykinia	aconitifolia
	-	occidentalis ❀
	-	rotundifolia ❀
(<i>Gesneriaceae</i>)	Briggsia	kurzii GWJ9342
(<i>Buddlejaceae</i>)	Buddleja	asiatica BSWJ7214 etc
	-	auriculata
	-	colvilei BSWJ2121 etc
	-	- 'Kewensis'
	-	cordata. BSWJ10433
	-	curviflora f. venenifera BSWJ6036 etc
	-	davidii BWJ8083
	-	delavayi (heliophylla)
	-	fallowiana BWJ7803
	-	forrestii
	-	japonica BSWJ8912
	-	aff. lindleyana BSWJ11478
	-	macrostachya HWJ602 etc
	-	megalocephala BSWJ9106
	-	nivea from Sikkim BSWJ2679

<i>(Buddlejaceae)</i>	Buddleja	nivea v. yunnanensis BWJ8146
	-	venenifera f. calvescens BSWJ895
<i>(Apiaceae)</i>	Bupleurum	candollei GWJ9405 etc
	C	
<i>(Asteraceae)</i>	Cacalia	corymbosa HWJK2214
	-	delphiniifolia BSWJ5789 etc
	-	farfarifolia v. acerina BSWJ11541 etc
	-	- v. bulbifera
	-	hastatus v. farfaraefolius BSWJ114680
	-	kiusianus BSWJ11460
	-	tebakoensis BSWJ11167 etc
		<i>(now considered to be Parasenecio)</i>
<i>(Scrophulariaceae)</i>	Calceolaria	perfoliata BSWJ10638
<i>(Verbenaceae)</i>	Callicarpa	japonica v. luxurians BSWJ8521
	-	aff. tikusikensis BSWJ7127
<i>(Campanulaceae)</i>	Campanula	alliariifolia DHTU0126 🌸
	-	punctata v. microdonta BSWJ5553 🌸
	-	'Sarastro'
	-	takesimana BSWJ8499 🌸
	-	- 'Beautiful Truth'
<i>(Cruciferae)</i>	Cardamine	angustata
	-	bulbifera
	-	californica
	-	diphylla
	-	- 'Eco Cut Leaf'
	-	- 'Eco Moonlight'
	-	glanduligera
	-	kitaibelii
	-	laciniata
	-	macrophylla 'Bright and Bronzy' BSWJ2165a
	-	maxima
	-	quinqifolia
	-	trifolia
	-	waldsteinii
	-	yezoensis BSWJ4659 🌸
<i>(Hydrangeaceae)</i>	Cardiandra	alternifolia BSWJ5845 etc
	-	- 'Pink Geisha' BSWJ2803
	-	amamiohshimensis
	-	formosana BSWJ2005 etc
	-	- 'Crûg's Abundant' BSWJ3632
	-	- 'Hsitou' BSWJ7022
	-	- 'Hsitou Splendour' BSWJ3618
<i>(Liliaceae)</i>	Cardiocrinum	cordatum BSWJ2812 etc
	-	- v. glehnii BSWJ4758 etc
	-	giganteum
	-	giganteum BSWJ2419 etc

(Liliaceae)	Cardiocrinum	giganteum yunnanense
(Corylaceae)	Carpinus	japonica BSWJ10803 etc
	-	laxiflora BSWJ10809 etc
	-	- v. longispica BSWJ8772
	-	kawakamii CWJ12412 etc
	-	rankanensis RWJ9839
	-	tschonoskii BSWJ10800
(Berberidaceae)	Caulophyllum	thalictroides
	-	- ssp. robustum
(Zingiberaceae)	Caulokaempferia	petelotii BSWJ11818
(Zingiberaceae)	Cautleya	cathcartii 'Tenzing's Gold'
		BSWJ2281
	-	gracilis BSWJ7186 etc
	-	spicata 'Arun Flame'
		HWJK2172
	-	- 'Crûg Canary' BSWJ2103
	-	- 'Robusta'
(Vitaceae)	Cayratia	japonica BSWJ6636
(Celastraceae)	Celastrus	flagellaris BSWJ8572
	-	hookeri BSWJ11667
	-	kusanoi CWJ12445
	-	orbiculatus v. papillosus
		BSWJ591
	-	paniculatus CWJ12478
	-	punctatus CWJ12439
	-	stephanotifolius BSWJ4727
(Campanulaceae)	Centropogon	cordifolius BSWJ10282
	-	costaricae BSWJ10455
	-	ferrugineus BSWJ10665
	-	hirsutus BSWJ10663
	-	aff. valerii BSWJ10341
	-	willdenowianus BSWJ10657
(Plumbaginaceae)	Ceratostigma	asperum BSWJ7260
	-	plumbaginoides
	-	willmottianum BSWJ8140
(Asclepiadaceae)	Ceropegia	pubescens GWJ9441
(Solanaceae)	Cestrum	coccinea BSWJ10255
(Melanthiaceae)	Chionographis	japonica
(Gesneriaceae)	Chirita	speciosa 'Crûg Cornetto'
		HWJ1056
(Chloranthaceae)	Chloranthus	japonicus
	-	oldhamii BSWJ2019
	-	serratus
(Anthericaceae)	Chlorophytum	nepalense BSWJ2393 etc
(Asteraceae)	Chrysanthemum	aff. yezoense BSWJ10872
(Saxifragaceae)	Chrysosplenium	dauidianum
	-	flagelliferum BSWJ8902
	-	aff. hebetatum BSWJ9835
	-	lanuginosum v. formosanum
		BSWJ6979
	-	macrophyllum
	-	macrostemon v. shiobarense
		BSWJ6173

(<i>Asteraceae</i>)	Cicerbita	sp. from China BWJ7891
(<i>Vitaceae</i>)	Cissus	aff. pedata BSWJ2371
(<i>Ranunculaceae</i>)	Clematis	acuminata v. sikkimensis BSWJ7202
	-	brachyura BSWJ8854
	-	buchananiana BSWJ8333a
	-	chiisanensis BSWJ4560 etc
	-	chinensis RWJ10042
	-	chrysocoma BWJ7700
	-	confusa HWJK2200 etc
	-	connata GWJ9386 etc
	-	fasciculiflora KWJ12160
	-	fasciculiflora L657
	-	fujisanensis BSWJ11370
	-	glaucophylla
	-	henryi BSWJ3403
	-	- v. morii BSWJ1668
	-	ianthina v. kupripoensis BSWJ700
	-	japonica BSWJ11204
	-	- v. obvallata BSWJ8900
	-	koreana etc
	-	- v. lutea
	-	lasiandra BSWJ4888 etc
	-	loureiriana HWJ663
	-	mandschurica BSWJ1060
	-	meyeniana BSWJ6700
	-	montana from China BWJ8189b etc
	-	- from Nepal HWJK2156 etc
	-	- from Taiwan BSWJ6930 etc
	-	napaulensis
	-	parviloba v. bartlettii BSWJ6788 etc
	-	patens 'Korean Moon' BSWJ583
	-	psilandra CWJ12377
	-	rehderiana BWJ7538 etc
	-	repens 'Bells of Emei Shan' DJHC0540
	-	serratifolia from Korea BSWJ8458 etc
	-	sp. from China BWJ7630 etc
	-	sp. from China DJHC08052
	-	stans BSWJ5073 etc
	-	szuyuanensis BSWJ6791 etc
	-	tashiroi BSWJ7005
	-	- 'Yellow Peril' BSWJ1423
	-	terniflora BSWJ5751 etc
	-	tongluensis GWJ9358 etc
	-	uncinata BSWJ11368 etc
	-	urticifolia BSWJ8640 etc
(<i>Verbenaceae</i>)	Clerodendrum	aff. mutabilis BSWJ6651
	-	aff. subscaposum BSWJ11735
	-	trichotomum 'Shiro' BSWJ4896

(<i>Clethraceae</i>)	Clethra	barbinervis BSWJ11562
(<i>Convallariaceae</i>)	Clintonia	andrewsiana
	-	udensis from Nepal HWJK2339
	-	umbellulata
(<i>Apiaceae</i>)	Coaxana	purpurea BSWJ9028
(<i>Cobaeaceae</i>)	Cobaea	lutea BSWJ9142a
(<i>Menispermaceae</i>)	Cocculus	orbiculatus BSWJ535
(<i>Campanulaceae</i>)	Codonopsis	affinis HWJCM70 etc
	-	benthamii from Sikkim GWJ9352
	-	aff. celebica HWJ665
	-	convolvulacea v. hirsuta BWJ7812
	-	dicentrifolia HWJCM267
	-	forrestii BWJ7532 etc
	-	gracilis HWJK2155 etc
	-	grey-wilsonii
	-	inflata GWJ9442
	-	javanica BSWJ380
	-	kawakamii BSWJ6975 etc
	-	lanceolata BSWJ5437
	-	pilosula BWJ7910
	-	species from China BWJ8145
	-	- from Nepal HWJK2105
	-	rotundifolia v. angustifolia
	-	subsimplex BWJ7502
	-	thalictrifolia MECC93
	-	viridiflora
	-	viridis HWJK2435 etc
(<i>Nyctaginaceae</i>)	Colignonia	ovalifolia BSWJ10644
(<i>Araceae</i>)	Colocasia	formosana BSWJ6909
(<i>Lamiaceae</i>)	Colquhounia	coccinea v. mollis BSWJ7222
(<i>Commelinaceae</i>)	Commelina	tuberosa BSWJ10353
(<i>Myricaceae</i>)	Comptonia	peregrina
(<i>Gesneriaceae</i>)	Conandron	ramondioides BSWJ8929 etc
(<i>Ranunculaceae</i>)	Coptis	japonica
	-	- v. dissecta
	-	- v. major
	-	omeiensis BSWJ7366
	-	quinquefolia BSWJ1677
	-	- v. ramosa
	-	ramosa BSWJ6000 etc
	-	trifolia
(<i>Coriariaceae</i>)	Coriaria	arborea etc
	-	intermedia BSWJ019
	-	japonica BSWJ2833 etc
	-	- ssp. intermedia BSWJ3877
	-	kingiana
	-	microphylla BSWJ8999 etc
	-	myrtifolia
	-	nepalensis BWJ7755 etc
	-	pteridoides

(<i>Coriariaceae</i>)	Coriaria	ruscifolia HCM98178
	-	sarmentosa etc
	-	terminalis v. xanthocarpa GWJ9204 etc
(<i>Cornaceae</i>)	Cornus	capitata
	-	hongkongensis BSWJ11700 etc
	-	- v. aff. gigantea KWJ12225
	-	- v. tonkinensis BSWJ11791
	-	kousa BSWJ5494
	-	walteri BSWJ8776 ❀
(<i>Poaceae</i>)	Cortaderia	richardii ❀
(<i>Apiaceae</i>)	Cortiella	aff. hookeri HWJK2291
(<i>Papaveraceae</i>)	Corydalis	elata
	-	flexuosa 'China Blue' CD&R528c
	-	- 'Père David' CD&R528b
	-	- 'Purple Leaf' CD&R528a
	-	incisa BSWJ4417
	-	siamense BSWJ7200
	-	stipulata BSWJ2951
(<i>Rosaceae</i>)	Cotoneaster	hualiensis BSWJ3143
(<i>Gentianaceae</i>)	Crawfurdia	fasciculata BSWJ7197
	-	aff. pasquieri BSWJ11725
	-	speciosa BSWJ2138 etc
(<i>Iridaceae</i>)	Crocsmia	'Emily McKenzie'
	-	'Mrs Geoffrey Howard'
	-	'Star of the East'
(<i>Stemonaceae</i>)	Croomia	heterosepala
(<i>Rubiaceae</i>)	Crusea	coccinea BSWJ10254
(<i>Hypoxidaceae</i>)	Curculigo	crassifolia BSWJ2318
(<i>Menispermaceae</i>)	Cyclea	polypetala KWJ12157
(<i>Athyriaceae</i>)	Cystopteris	moupinensis BSWJ6767

D

(<i>Papaveraceae</i>)	Dactylicapnos	lichiangensis (= <i>ventii</i>)
	-	macrocapnos
	-	scandens GWJ9438 etc
	-	- f. thalictrifolia
	-	torulosa BWJ7814
	-	ventii GWJ9376
(<i>Asteraceae</i>)	Dahlia	australis BSWJ 10358 etc
	-	coccinea BSWJ9126
	-	excelsa BSWJ10233 etc
	-	imperialis BSWJ8997
	-	merckii 'Alba'
	-	pinnata BSWJ10240
	-	aff. purpusii BSWJ10321
(<i>Ruscaceae</i>)	Danae	racemosa
(<i>Thymelaeaceae</i>)	Daphne	arisanensis BSWJ6983
	-	genkwa
	-	pseudomezereum
	-	sp. from China DJHC98164
(<i>Daphniphyllaceae</i>)	Daphniphyllum	aff. angustifolium BSWJ8225 etc

(<i>Daphniphyllaceae</i>)	<i>Daphniphyllum</i>	<i>kengii</i> BSWJ7119
-		aff. <i>longeracemosum</i> BSWJ11788
-		<i>macropodum</i> from Cheju-Do BSWJ8763 etc
-		<i>macropodum</i> from Ullüngdō BSWJ8507
-		<i>macropodum</i> from Yakushima BSWJ11489
-		- v. <i>humile</i> BSWJ11232 etc
-		<i>majus</i> BSWJ11744
-		<i>oldhamii</i> BSWJ6872
-		<i>paxianum</i> BSWJ9755
-		<i>pentandrum</i> BSWJ6888 etc
-		<i>teysmannii</i> from Japan BSWJ11112 etc
-		aff. <i>teysmannii</i> from Taiwan CWJ12350
(<i>Saxifragaceae</i>)	<i>Darmera</i>	<i>peltata</i> ❀
(<i>Urticaceae</i>)	<i>Debregeasia</i>	<i>longifolia</i> BSWJ11686
(<i>Lardizabalaceae</i>)	<i>Decaisnea</i>	<i>fargessii</i> BWJ8070
(<i>Hydrangeaceae</i>)	<i>Decumaria</i>	<i>barbara</i> <i>sinensis</i>
(<i>Hydrangeaceae</i>)	<i>Deinranthe</i>	<i>bifida</i> BSWJ5436 etc
-		- 'Pink-Kii' BSWJ5012
-		- 'Pink-Shi' BSWJ5655
-		<i>caerulea</i>
-		- x <i>bifida</i> 'Blue Blush'
(<i>Ranunculaceae</i>)	<i>Delphinium</i>	<i>ceratophorum</i> v. <i>ceratophorum</i> BWJ7799
-		<i>drepanocentrum</i> HWJK2263
-		<i>glaciale</i> HWJK2299
-		aff. <i>micropetalum</i> CNDS031
-		sp. from China BWJ7996
-		<i>stapeliosmum</i> BSWJ2960 etc
-		aff. <i>sutchuenense</i> BWJ7867
-		<i>tenii</i> BWJ7693 etc
(<i>Araliaceae</i>)	<i>Dendropanax</i>	<i>trifidus</i> BSWJ11230
(<i>Loganiaceae</i>)	<i>Desfontainia</i>	<i>spinosa</i> 'Harold Comber'
(<i>Hydrangeaceae</i>)	<i>Deutzia</i>	<i>calycosa</i> BWJ8007
-		<i>compacta</i> GWJ9202 etc
-		<i>cordatula</i> BSWJ6917 etc
-		<i>crenata</i> BWJ8886 etc ❀
-		- v. <i>heterotricha</i> BSWJ5805
-		- v. <i>nakaiana</i> BSWJ11184
-		<i>glabrata</i> BSWJ617 etc
-		<i>glomeruliflora</i> BWJ7742 ❀
-		<i>gracilis</i> BSWJ8927
-		- v. <i>ogatae</i> BSWJ8911 etc
-		<i>maximowicziana</i> BSWJ11567
-		aff. <i>monbeigii</i> BWJ7728
-		<i>paniculata</i> BSWJ8592

(<i>Hydrangeaceae</i>)	Deutzia	parviflora v. barbinervis BSWJ8478 ❀
-	-	prunifolia BSWJ8588
-	-	pulchra BSWJ3870 etc
-	-	purpurascens BWJ7859
-	-	scabra BSWJ11127 etc
-	-	taiwanensis BSWJ6858 etc
(<i>Asteraceae</i>)	Diaspananthus	uniflorus BSWJ11336 (see <i>Ainsliaea uniflora</i>)
(<i>Papaveraceae</i>)	Dicentra	canadensis
-	-	cucullaria
-	-	formosa alba
-	-	'Langtrees'
-	-	lichiangensis
-	-	macrantha
-	-	macrocapnos
-	-	scandens GWJ9438 etc
-	-	- f. thalictrifolia
-	-	torulosa BWJ7814
-	-	ventii GWJ9376
-	-	(see also <i>Dactylicapnos</i>)
(<i>Hydrangeaceae</i>)	Dichroa	febrifuga BSWJ2367 etc
-	-	hirsuta from Lao BSWJ8371
-	-	- from Vietnam BSWJ8207
-	-	versicolor BSWJ6565 etc
-	-	aff. yunnanensis BSWJ9734
(<i>Iridaceae</i>)	Dierama	dracomontanum
(<i>Scrophulariaceae</i>)	Digitalis	ikizdere RCB059
(<i>Berberidaceae</i>)	Diphylleia	cymosa
-	-	grayi
-	-	sinensis
(<i>Dipsacaceae</i>)	Dipsacus	japonicus HWJ695
(<i>Convallariaceae</i>)	Disporopsis	arisanensis BSWJ1864 etc
-	-	aspersa
-	-	aspersa tall form
-	-	fusco-picta
-	-	longifolia BSWJ5284 etc
-	-	luzoniense BSWJ3891
-	-	pernyi
-	-	taiwanensis BSWJ3388 etc
-	-	aff. undulata
(<i>Convallariaceae</i>)	Disporum	aff. austrosinense BSWJ9777 etc
-	-	bodinieri BWJ8128 etc
-	-	cantonienne BSWJ9715
-	-	- v. cantoniense BSWJ5181
-	-	- - f. brunneum BSWJ5290 etc
-	-	- v. kawakamii BSWJ1424 etc
-	-	- v. multiflorum BSWJ11252 etc
-	-	- v. sikkimense BSWJ2337 etc
-	-	flavens BSWJ872 etc
-	-	hookeri
-	-	- v. oreganum
-	-	lanuginosum
-	-	leschenaultianum BSWJ9484 etc
-	-	leucanthum BSWJ2389 etc

(<i>Convallariaceae</i>)	Disporum	longistylum L1564 etc
-	-	lutescens
-	-	maculatum
-	-	megalanthum
-	-	nantauense BSWJ359 etc
-	-	sessile BSWJ2824 etc
-	-	- 'Aureovariegatum'
-	-	- f. <i>macrophyllum</i> BSWJ4316
-	-	- 'Variegatum'
-	-	<i>smilacinum</i> BSWJ713 etc
-	-	- 'Aureovariegatum'
-	-	- pink
-	-	<i>smithii</i>
-	-	<i>taiwanense</i> BSWJ1513 etc
-	-	<i>tonkinensis</i> BSWJ11814 etc
-	-	<i>trabeculatum</i>
-	-	- 'Nakafu'
-	-	<i>uniflorum</i> BSWJ651 etc
-	-	<i>viridescens</i> BSWJ4598 etc
(<i>Podoaceae</i>)	Dobinea	<i>vulgaris</i> BSWJ2532
(<i>Winteraceae</i>)	Drimys	<i>granatensis</i> v. <i>grandiflora</i> BSWJ10777
-	-	<i>winteri</i> v. <i>chilensis</i>
E		
(<i>Iridaceae</i>)	Echeandia	<i>formosa</i> BSWJ9147
(<i>Crassulaceae</i>)	Echeveria	'Crûg Ice' BSWJ9103
-	-	<i>maxonii</i> BSWJ10396
-	-	<i>montana</i> BSWJ10277
(<i>Araliaceae</i>)	Eleutherococcus	<i>trifoliatus</i> RWJ10108 (see also <i>Acanthopanax</i>)
(<i>Scrophulariaceae</i>)	Ellisiophyllum	<i>pinnatum</i> BSWJ197
(<i>Apiaceae</i>)	Enantiophylla	<i>heydeana</i> BSWJ9114
-	-	sp. from Guatemala BSWJ10318
(<i>Ranunculaceae</i>)	Eranthis	<i>pinnatifida</i>
(<i>Phytolaccaceae</i>)	Ercilla	<i>volubilis</i>
(<i>Apiaceae</i>)	Eryngium	<i>cymosum</i> BSWJ10267
-	-	<i>gracile</i> BSWJ10441 etc
-	-	<i>guatemalense</i> BSWJ8989 etc
-	-	<i>humile</i> BSWJ10464
-	-	<i>pandanifolium</i>
-	-	<i>strotheri</i> BSWJ9109 etc
(<i>Liliaceae</i>)	Erythronium	<i>californicum</i> 'White Beauty'
-	-	<i>japonicum</i> etc
-	-	<i>revolutum</i>
-	-	- <i>Johnsonii</i>
(<i>Asteraceae</i>)	Espeletia	aff. <i>summapacis</i> BSWJ10766
(<i>Hyacinthaceae</i>)	Eucomis	<i>pole-evansii</i>
-	-	'Stars & Stripes'
(<i>Celastraceae</i>)	Euonymus	<i>alatus</i> BSWJ8794
-	-	<i>fortunei</i> 'Kewensis'
-	-	<i>japonicus</i> BSWJ11159

(<i>Celastraceae</i>)	Euonymus	kachinensis BSWJ11668
-	-	morrisonensis BSWJ3700
-	-	aff. sieboldianus BSWJ10941
-	-	- v. sanguineus BSWJ11140 etc
-	-	spraguei BSWJ12446
-	-	aff. theaeifolius GWJ9377
(<i>Asteraceae</i>)	Eupatorium	chinense v. simplicifolium BSWJ8449
-	-	sp. from Guatemala BSWJ9052 ❀
(<i>Euphorbiaceae</i>)	Euphorbia	cornigera
-	-	donii HWJK2405
-	-	griffithii 'Dixter'
-	-	- 'King's Capel'
-	-	mellifera
-	-	rothiana GWJ9479a etc
-	-	schillingii
-	-	sikkimensis
-	-	- 'Crûg Contrast' GWJ9214
-	-	stygiana

F

(<i>Polygonaceae</i>)	Fallopia	multiflora v. hypoleuca BSWJ120
(<i>Asteraceae</i>)	Farfugium	formosanum BSWJ3739 etc
-	-	japonicum BSWJ884
-	-	- double flowered
(<i>Araliaceae</i>)	Fatsia	polycarpa BSWJ7144 etc
(<i>Rosaceae</i>)	Filipendula	aff. camtschatica BSWJ10828
-	-	formosa BSWJ8707 ❀
-	-	kiraishiensis BSWJ1571
-	-	purpurea
-	-	rubra 'Venusta' ❀
-	-	rufinervis BSWJ8469 etc
(<i>Liliaceae</i>)	Fritillaria	camschatcensis
-	-	pontica
-	-	pyrenaica
-	-	uva-vulpis
-	-	verticillata
(<i>Onagraceae</i>)	Fuchsia	arborescens BSWJ10475
-	-	cordata BSWJ9095 etc
-	-	cylindracea BSWJ10294
-	-	hemsleyana BSWJ10478
-	-	- 'Silver Lining' BSWJ10478
-	-	michoacanensis BSWJ9027 etc
-	-	microphylla BSWJ10331
-	-	- ssp. aprica BSWJ9101
-	-	- - 'Dolly's Dress' BSWJ9101
-	-	paniculata
-	-	splendens BSWJ10469

G

(<i>Araliaceae</i>)	Gamblea	pseudoevodiifolia BSWJ11707
(<i>Geraniaceae</i>)	Geranium	'Anne Thomson'

(Geraniaceae)	Geranium	aristatum ✿
	-	'Bertie Crûg'
	-	canariense
	-	X cantabrigiense ✿
	-	- 'Biokovo'
	-	- 'St Ola'
	-	'Chantilly'
	-	christansonianum BSWJ8022
	-	clarkei 'Mount Stewart' ✿
	-	clarum BSWJ10246
	-	collinum ✿
	-	dahuricum
	-	dalmaticum
	-	- album
	-	'Dilys' ✿
	-	'Diva' ✿
	-	'Dusky Crûg'
	-	'Elizabeth Ross'
	-	erianthum ✿
	-	- 'Calm Sea'
	-	- 'Neptune'
	-	eriosomon
	-	gracile ✿
	-	gymnocaulon ✿
	-	harveyi
	-	hayatanum BSWJ164
	-	himalayense 'Baby Blue'
	-	- 'Gravetye'
	-	- 'Irish Blue'
	-	- 'Plenum' ✿
	-	ibericum ssp. jubatum ✿
	-	'Ivan'
	-	'Johnson's Blue' ✿
	-	'Kate'
	-	'Khan' ✿
	-	kishtvariense
	-	koraiense BSWJ797 etc
	-	koreanum BSWJ602
	-	krameri BSWJ1142
	-	lambertii 'Swansdown'
	-	'Libretto'
	-	linearilobum ssp. transversale
	-	macrorrhizum 'Album'
	-	- 'Czakor'
	-	- 'Ingwersens Variety' ✿
	-	- 'Lohfelden'
	-	- 'Pindus' ✿
	-	- 'Ridsko' ✿
	-	- 'Velbit' ✿
	-	- 'White-Ness'
	-	macrostylum
	-	maculatum

(Geraniaceae)	Geranium	maculatum f. albiflorum
-		maderense
-		X magnificum
-		malviflorum
-		X monacense
-		- 'Variegatum'
-		'Nimbus'
-		nodosum 'Svelte Lilac'
-		- 'Swish Purple'
-		- 'Whiteleaf'
-		'Orion'
-		'Orkney Blue' ❀
-		'Orkney Dawn'
-		X oxonianum 'A. T. Johnson' ❀
-		- 'Crûg Star'
-		- 'Fran's Star'
-		- 'Miriam Rundle'
-		- 'Old Rose'
-		- 'Rebecca Moss'
-		- 'Rose Clare'
-		- 'Rosenlicht'
-		- 'Southcombe Double'
-		- 'Southcombe Star' ❀
-		- 'Summer Surprise'
-		- 'Susie White'
-		- f. thurstonianum ❀
-		- 'Trevor's White'
-		- 'Wageningen'
-		- 'Walter's Gift'
-		- 'Wargrave Pink'
-		palmatum
-		- X maderense
-		'Patricia'
-		phaeum 'Album'
-		- 'David Bromley'
-		- 'Joan Baker'
-		- 'Mourning Widow'
-		- 'Rose Madder'
-		- 'Samobor'
-		'Phillippe Vapelle'
-		platyanthum
-		- v. reinii
-		platypetalum ❀
-		- 'Georgia Blue'
-		pratense 'Cluden Sapphire'
-		- 'Galactic'
-		- 'Mrs Kendall Clark'
-		- 'Plenum Violaceum'
-		- 'Rose Queen' ❀
-		- stewartianum 'Elizabeth Yeo'
-		- 'Striatum' dwarf form
-		- Victor Reiter Strain
-		- 'Yorkshire Queen'
-		procurrens

(Geraniaceae)	Geranium	psilostemon
	-	- 'Bressingham Flair'
	-	rectum ✿
	-	reflexum ✿
	-	regelii
	-	renardii
	-	- 'Whiteknights'
	-	richardsonii
	-	X riversleaianum 'Mavis Simpson'
	-	rosthornii
	-	rubescens = yeoi
	-	rubifolium
	-	sanguineum 'Album'
	-	- 'Ankum's Pride'
	-	- 'Belle Of Herterton'
	-	- 'Cedric Morris'
	-	- 'Elsbeth'
	-	- 'Jubilee Pink'
	-	- 'Max Frei'
	-	- 'Nyewood'
	-	- 'Shepherd's Warning'
	-	- v. striatum 'Reginald Farrer'
	-	- - 'Splendens'
	-	shikokianum v. kaimontanum
	-	- v. quelpaertense BSWJ1234
	-	- v. yoshiianum BSWJ6147
	-	'Sirak'
	-	soboliferum
	-	'Spinners'
	-	'Sue Crûg'
	-	'Sue's Sister'
	-	suzukii BSWJ016
	-	sylvaticum f. albiflorum
	-	- 'Amy Doncaster'
	-	- 'Baker's Pink' ✿
	-	- 'Mayflower' ✿
	-	- 'Silva' ✿
	-	- wanneri ✿
	-	tuberosum ssp. linearifolium
	-	versicolor 'Snow White'
	-	wallichianum 'Buxton's Variety'
	-	(Blue)
	-	- pink form
	-	'Wisley Hybrid/Khan' ✿
	-	wlassovianum
	-	yeoi
	-	yesoense v. nipponicum ✿
(Rosaceae)	Gillenia	trifoliata
(Ginkgoaceae)	Ginkgo	biloba BSWJ8753
(Iridaceae)	Gladiolus	cardinalis
	-	papilio
(Glaucidiaceae)	Glaucidium	palmatum

- (*Zingiberaceae*) **Globba hookeri** HWJCM471
 (*Gunneraceae*) Gunnera magellanica
 (*Cucurbitaceae*) Gynostemma pentaphyllum BSWJ570

H

- (*Araliaceae*) Hedera hibernica 'Digitata Crûg Gold'
 (*Zingiberaceae*) Hedychium brevicaule BSWJ7171
 - coccineum BSWJ5238
 - 'Tara'
 - **coronarium** BSWJ3745
 - densiflorum
 - 'Assam Orange'
 - ellipticum BSWJ8354
 - flavescens ✿
 - gardnerianum ✿
 - gracile ✿
 - greenii
 - maximum BSWJ8261 etc
 - X **raffillii**
 - spicatum BSWJ7231 etc
 - 'Liberty' BWJ8116
 - 'Singalila' BSWJ2303
 - stenopetalum BSWJ7155
 - thysiforme
 - urophyllum HWJ604
 - yunnanense BWJ7900 etc
 (*Asteraceae*) Helichrysum wightii BSWJ9503
 (*Ranunculaceae*) Helleborus X hybridus 'Picotee'
 - orientalis ssp. guttatus pink
 (*Melanthiaceae*) Heloniopsis acutifolia BSWJ218 etc
 - kawanoi
 - **koreana** BSWJ4173
 - orientalis BSWJ6380 etc
 - v. breviscapa BSWJ5873 etc
 - v. 'A-so' BSWJ5850
 - v. - variegated
 - v. **flavida** BSWJ11400
 - tubiflora BSWJ822 etc
 - 'Temple Blue' BSWJ956
 - umbellata BSWJ1839 etc
 (*Hemerocallidaceae*) Hemerocallis aff. dumortieri BSWJ1283 ✿
 - **fulva** BSWJ8647 ✿
 - v. kwanso BSWJ6328 ✿
 - longituba BSWJ4576 ✿
 - minor BSWJ8841 ✿
 (*Ranunculaceae*) Hepatica insularis BSWJ859 etc
 - maxima BSWJ4344 etc
 (*Lardizabalaceae*) Holboellia angustifolia
 - ssp. linearifolia BWJ8004
 - ssp. obtusa DJHC506
 - **brachyandra** HWJ1023
 - aff. chapaensis BSWJ7250
 - coriacea
 - coriacea BSWJ2818

(Lardizabalaceae)	Holboellia	fargesii
	-	aff. grandiflora BSWJ8223 etc
	-	latifolia HWJK2014 etc
	-	- dark flowered from HWJK2213
	-	- Multiple from HWJCM008
(Hostaceae)	Hosta	'Big Daddy'
	-	capitata BSWJ588 ❀
	-	'Frances Williams'
	-	'Golden Tiara'
	-	longipes BSWJ10806
	-	montana BSWJ4796 etc
	-	minor BSWJ1209 etc
	-	plantaginea
	-	'Purple Dwarf'
	-	'Saishu Jima'
	-	'Snowden'
	-	'Sum and Substance' ❀
	-	ventricosa from Sichuan
		BWJ8160
	-	venusta BSWJ4389 ❀
	-	yingeri BSWJ546
(Rhamnaceae)	Hovenia	dulcis BSWJ11024
(Hydrangeaceae)	Hydrangea	angustipetala BSWJ3454 etc
	-	- f. formosa BSWJ7097
	-	- f. macrosepala BSWJ3476 etc
	-	- f. obovatifolia BSWJ3487b etc
	-	- from Yakushima BSWJ6038 etc
	-	anomala ssp. anomala BWJ8052 etc
	-	- - 'Winter Glow' BSWJ2411
	-	- ssp. glabra BSWJ6804
	-	- - 'Crûg Coral' BSWJ3117
	-	- ssp. petiolaris BSWJ6337 etc
	-	- - v. cordifolia BSWJ6081 etc
	-	- - - from Yakushima
		BSWJ11487 etc
	-	- - v. tiliifolia BSWJ8497
	-	- ssp. quelpartensis BSWJ8799 etc
	-	arborescens ssp. radiata
	-	aspera
	-	- Kawakamii BSWJ6827 etc
	-	- - 'August Abundance'
		BSWJ1420
	-	- - 'Formosa' BSWJ7025
	-	- - 'September Splendour'
		BSWJ3462
	-	- 'Macrophylla'
	-	- 'Mauvette'
	-	- ssp. robustum Himalayan
		form GWJ9430
	-	- ssp. robustum blue
		flowering WWJ11888
	-	- ssp. sargentiana

(<i>Papaveraceae</i>)	Hylomecon	hylomeconoides
	-	- japonica
(<i>Clusiaceae</i>)	Hypericum	aff. uralum HWJ520
	I	
(<i>Aquifoliaceae</i>)	Ilex	cornuta BSWJ8756
(<i>Illiciaceae</i>)	Illicium	majus WWJ11919
	-	simonsii BWJ8024
(<i>Balsaminaceae</i>)	Impatiens	kerriae BSWJ7220
	-	aff. langbianensis HWJ1054
	-	macrophylla BSWJ10157
	-	omeiana
	-	aff. omeiana silver leafed
	-	omeiana DJHC98492
	-	polineae BSWJ9722
	-	puberula HWJK2063
	-	species from China
		DJHC98415
(<i>Bignoniaceae</i>)	Incarvillea	compacta BWJ7620
	-	lutea BWJ7784
	-	zhongdianensis BWJ7692 etc
(<i>Papilionaceae</i>)	Indigofera	balfouriana BWJ7851
	-	cassioides
	-	pendula BWJ7741
(<i>Asteraceae</i>)	Inula	hookeri GWJ9033 ✿
(<i>Iridaceae</i>)	Iris	barbatula BWJ7663 etc
	-	bulleyana BWJ7912
	-	chrysographes black form
	-	clarkei BSWJ2122
	-	ensata v. spontanea BSWJ1103 etc ✿
	-	formosana BSWJ3076
	-	japonica BSWJ8921
	-	orientalis
	-	pseudacorus from Japan
	-	BSWJ5018 ✿
	-	tectorum BWJ8191
(<i>Ranunculaceae</i>)	Isopyrum	dicarpon BSWJ11555
	-	nipponicum
	-	stoloniferum
	J	
(<i>Oleaceae</i>)	Jasminum	fruticans
	-	humile f. wallichianum
	-	BSWJ2559
	-	officinale 'Crûg's Collection'
		BSWJ2987
(<i>Berberidaceae</i>)	Jeffersonia	diphylla
(<i>Scrophulariaceae</i>)	Jovellana	violacea
(<i>Juglandaceae</i>)	Juglans	cathayensis from Taiwan
	-	BSWJ6778 etc
	-	- from China BWJ8097
	-	mandschurica v. sieboldiana
		BSWJ11026

K

- (*Schisandraceae*) *Kadsura* japonica BSWJ4463 etc
- coccinea BSWJ11793
(*Araliaceae*) *Kalopanax* septemlobus v. magnificus
BSWJ10900
(*Hydrangeaceae*) *Kirengeshoma* palmata
- v. koreana
(*Asphodelaceae*) *Kniphofia* caulescens
- northiae

L

- (*Lythraceae*) *Lagerstroemia* subcostata CWJ12352
(*Lamiaceae*) *Lamium* orvala
(*Solanaceae*) *Leucophysalis* sinense BWJ8093
(*Lamiaceae*) *Leucosceptrum* canum GWJ9424
- japonicum BSWJ10981 etc
- stellipilum v. formosanum
BSWJ1804 etc
- v. tosaense BSWJ8892
(*Iridaceae*) *Libertia* grandiflora ✿
(*Asteraceae*) *Ligularia* aff. calthifolia BSWJ2977 etc
- 'Cheju Charmer' BSWJ1158
- corymbosa GWJ9404 etc
- fischeri from India BSWJ2570 ✿
- from Japan BSWJ5653 etc ✿
- from Korea BSWJ4478 ✿
- hodgsonii BSWJ10855
- intermedia BSWJ606a
- japonica 'Rising Sun'
BSWJ6293
- przewalskii
- sibirica BSWJ4383 ✿
- v. speciosa BSWJ5841 etc ✿
- stenocephala BSWJ283
- 'The Rocket'
(*Apiaceae*) *Ligusticum* sp. from China BWJ7668
(*Liliaceae*) *Lilium* auratum v. platyphyllum
BSWJ4824
- canadense
- columbianum BSWJ9564
- **dauidii v. willmottiae**
- distichum BSWJ794
- duchartrei
- formosanum BSWJ1589 etc
- hansonii BSWJ4756 etc
- henryi
- lancifolium (tigrinum)
BSWJ4352 etc
- 'Flore Pleno'
- v. fortunei BSWJ539
- **lankongense BSWJ7691 etc**
- leucanthum v. centifolium
BSWJ8130

(<i>Liliaceae</i>)	Lilium	longiflorum BSWJ11376
	-	nanum
	-	nepalense BSWJ2985 etc
	-	oxypetalum v. insigne
	-	pardalinum
	-	poilanei HWJ681
	-	rosthornii
	-	speciosum BSWJ4847 etc
	-	superbum
	-	taliense
	-	tsingtauense BSWJ519 etc
	-	vollmeri
	-	wigginsii
	-	xanthellum var. luteum
(<i>Lauraceae</i>)	Lindera	erythrocarpa BSWJ6271 etc
	-	lancea BSWJ11118 etc
	-	obtusiloba BSWJ11054
	-	praecox BSWJ10802
	-	- southern form BSWJ11125
	-	sericea BSWJ11141 etc
	-	triloba BSWJ5570 etc
	-	umbellata BSWJ10881
	-	- v. membranaceae
		BSWJ10837
(<i>Convallariaceae</i>)	Liriope	koreana BSWJ8821
	-	platyphylla BSWJ561 etc
(<i>Campanulaceae</i>)	Lobelia	excelsa BSWJ9513
	-	laxiflora BSWJ9064
	-	montana BSWJ8220 etc
	-	sessilifolia BSWJ8875
	-	sp. nova from China GEY125
	-	tupa
(<i>Proteaceae</i>)	Lomatia	ferruginea
(<i>Caprifoliaceae</i>)	Lonicera	acuminata BSWJ3480 etc
	-	alseuosmoides
	-	glabrata BSWJ2150
	-	henryi BWJ8109
	-	japonica BSWJ4423
	-	lanceolata BWJ7935
	-	macrantha BSWJ11606 etc
	-	similis v. delavayi
	-	sp. from Sikkim BSWJ2654
(<i>Myrtaceae</i>)	Luma	apiculata
(<i>Papilionaceae</i>)	Lupinus	bogotensis BSWJ10761 etc
	-	costaricensis BSWJ10487
	-	montanus BSWJ10309
(<i>Philesiaceae</i>)	Luzuriaga	polyphylla HCM98202
	-	radicans
	-	radicans RH0602
(<i>Caryophyllaceae</i>)	Lychnis	cognata BSWJ4234 etc
(<i>Solanaceae</i>)	Lycianthes	quichensis BSWJ10395
(<i>Araceae</i>)	Lysichiton	americanus

- (*Primulaceae*) *Lysimachia* clethroides
 - aff. congestiflora HWJ846
 - vulgaris ssp. davurica BSWJ8632
 (*Gesneriaceae*) *Lysionotus* gamosepalus BSWJ7241
 - aff. kuangsiensis HWJ643 **etc**
 - pauciflorus BSWJ189 **etc**
 - serratus HWJK2426

M

- (*Myrsinaceae*) **Maesa japonica CWJ12371**
 (*Magnoliaceae*) *Magnolia* cathartii HWJ874
 - chevalieri HWJ533 **etc**
 - **floribunda v. tonkinensis**
WWJ12003
 - **foveolata WWJ11929**
 - **insignis BSWJ11800**
 - sieboldii BSWJ4127
 (*Berberidaceae*) *Mahonia* leschenaultii BSWJ9535
 - nervosa BSWJ9562 **etc**
 - oiwakensis BSWJ3660**etc**
 (*Convallariaceae*) *Maianthemum* amoenum BSWJ10390
 - atropurpureum
 - bifolium
 - - ssp. kamschaticum BSWJ4360 **etc**
 - canadense
 - comaltepecense BSWJ10215
 - flexuosum BSWJ9069 **etc**
 - aff. flexuosum BSWJ9026 **etc**
 - formosanum BSWJ349 **etc**
 - forrestii
 - fuscum
 - v. cordatum
 - henryi
 - gigas BSWJ10470 **etc**
 - japonicum BSWJ1179 **etc**
 - laxiflorum BSWJ10305
 - oleraceum BSWJ2148
 - paniculatum BSWJ9137 **etc**
 - **purple flowered form**
BSWJ9137
 - racemosum
 - aff. salvinii BSWJ9000 **etc**
 - scilloideum BSWJ10407 **etc**
 - **v. roseum BSWJ10355**
 - stellatum
 - szechuanicum
 - tatsienense
 (*Asclepiadaceae*) **Marsdenia formosana CWJ12354**
 (*Woodsiaceae*) *Matteuccia* struthiopteris ☼
 (*Papaveraceae*) *Meconopsis* chelidoniifolia
 (*Lamiaceae*) *Meehania* urticifolia BSWJ1210
 (*Meliaceae*) *Melia* azedarach BSWJ7039
 (*Asclepiadaceae*) *Metaplexis* japonica BSWJ8459
 (*Celastraceae*) *Microtopis* petelotii HWJ719

Plants highlighted in **bold** are new to the 2010 list

(<i>Poaceae</i>)	Miscanthus	chejuensis BSWJ8803
	-	flavidus BSWJ6749
	-	floridulus HWJ522 etc
	-	nepalensis 'Shikola' BSWJ2302
	-	transmorrisonensis BSWJ3697
(<i>Rubiaceae</i>)	Mitchella	repens
	-	undulata BSWJ10928
	-	- f. quepartensis BSWJ4402
(<i>Saxifragaceae</i>)	Mitella	formosana BSWJ125
	-	X inamii BSWJ11122
	-	japonica BSWJ4971 etc
	-	kiusiana BSWJ5401
	-	makinoi BSWJ4992
	-	pauciflora BSWJ6361
	-	stylosa BSWJ5669
	-	yoshinagae BSWJ4893 etc
(<i>Gesneriaceae</i>)	Mitraria	coccinea Lake Puye form
(<i>Apiaceae</i>)	Molopospermum	peloponnesiacum
(<i>Morinaceae</i>)	Morinda	umbellata BSWJ11688
(<i>Saxifragaceae</i>)	Mukdenia	acanthifolia
	-	rossii
(<i>Apiaceae</i>)	Myrrhidendron	glaucescens BSWJ10699

Some notes on our 2010 introductions :-

Woodies including some climbers primarily from our own wild seed collections

Starting with *Acer*, we have identified a couple of interesting collections from northern Vietnam. *A. fabri* **WWJ11614** is known although very difficult to track down, bearing simple lance-shaped evergreen leaves that emerge in shades of pink and yellow, maturing to dark glossy green. A somewhat similar species which we have also found in that area also only forms a small tree or large shrub, *A. laevigatum* **BSWJ11684**, has leaves glossy on their upper surface held on shorter petioles. *A. oblongum* **KWJ12232** is an old friend which we are offering as a replacement collection from a shrubby plant we found while on a new (to us) trail through the Hoang Lien Mountains. Unmistakable with again simple, but oblong paler glossy leaves almost white below complemented by a wonderful crop of fat large winged seed. It was only last year that I finally identified *A. mono v. marmoratum f. dissectum* **BSWJ8914**, not surprised with that string of names. All the same they are one of the most colourful maples bearing good yellows through to deep reds by autumn. We are also able to offer fresh collections of the Taiwanese snakebark species of *A. morrisonensis*, *A. kawakamii* and the flamboyant *A. serrulatum* a species with colourful new growth, but retained for much longer almost until the autumnal colouration phases in. *Marsdenia formosana* **CWJ12354** was one of the first collections on my return to Taiwan in 2007, this time with Finlay Colley and Dan Hinkley. The distinct large seed capsules were dangling over the sodden mountain road where the twinning stems with large glossy leaves had grown into the canopy of a *Lagerstroemia*. *Maesa japonica* **CWJ12371** is a scandent species we found in the mountains of the western side of Taiwan, with its evergreen branches heavily laden with masses of small pink fruit. Similar in being admired for its fruit is *Callicarpa aff. tikusikensis* **BSWJ7127**, this time from the north of the island, somewhat more downy and more persistent in foliage than *C. formosana*. *Vaccinium dunalianum v. caudatifolium* **BSWJ6816** was also collected that year, at the time we were accompanied by Dan on the notoriously soggy Taipingshan. Where the exceptionally thick glossy leaves of this blueberry were a wonderful foil for the blue fruit. *Trochodendron aralioides* from Taiwan has always been popular here differing substantially from its Japanese counterpart by its larger glossy leaves and faster growth. In that respect my collection **CWJ12357** should not differ from our previous collections, apart from its apple green colourations. Also from my 2007 sortie are two collections of *Stachyurus sigeyosii* from selected plants with longer inflorescences growing at a higher elevation than previous finds. *Cotoneaster hualiensis* **BSWJ3143** is named after the county we discovered it in, growing at the base of shady cliffs on a long abandoned logging trail the Japanese carved into the forests in the high mountains of north-eastern Taiwan. Where it formed a small deciduous tree bearing almost rounded sizeable glossy leaves with conspicuously embossed venation, embellished with clusters of large bright red fruit by late summer. We also found *Euonymus*

spraguei on this trail, but only successfully germinated seed from the 2007 expedition. This is a lax evergreen shrub in juvenility, maturing to larger elliptic leaves on slender green stems to 2m tall bearing panicles of curious rounded fruiting capsules covered in curved spines. Another new species *E. theaeifolius* **GWJ9377** was a collection from the Darjeeling area of northern India, where it formed neat shrubs bearing *Camellia*-like foliage with pink capsules holding the orange aril covered seed all held on long slender stalks. This area it so happens is the epicentre of distribution of the fabled *Hydrangea aspera ssp. robustum*. We have seen all sorts offered as this in a desperate attempt to fill the vacuum, small wonder as it is worthy of its space on foliage alone, boasting some of the largest leaves of the genus, held on long red petioles. Flowering a little earlier for us in cultivation, thankfully as it only starts in October in the wild. Hence the difficulty in collecting seed. The huge inflorescences are a pastel colour in that area contrasting with the bright blues we discovered in a tiny disjunct population in northern Vietnam (WWJ11888). The hydrangeas of this botanically rich area of Vietnam are fascinating, keeping me amused for hours. I once stumbled across a small shrub in a heavily degraded and grazed boggy forest with all purple foliage. While contemplating our retirement plans the resulting cuttings were growing in our quarantine unit here at Crûg. *H. lingii* (I later ascertained) is capable of this ornamental attribute, but not to any great extent in North Wales, we were initially disappointed with its floral display as well, there were no sterile florets. But as it matures it is most certainly appealing neither brash nor too subtle to be noticed. Other closely related species are emerging (from the *H. indochinensis* complex) *H. kwangsiensis* **BSWJ11717** is one such collection from close to the border with China, with blue veined leaves more reminiscent of *Dichroa*, but with strong blue ornate lace-caps (in acid soils). Blue is the preferred colour of our collection of *H. serrata* **BSWJ6241a** from southern Japan, appropriately named at the end of this list. The small white flowering *H. serrata ssp. angustata* has at last been identified, while other collections from Japan are being recognised. *H. grossiserrata* is one I have been scratching my head over for years. A small aptly named species we collected from medium altitudes on Yakushima with an affinity to *H. scandens ssp. lukiuenensis* which we also find there at a lower altitude, this latter species closer to *H. luteo-venusta*. The climbing species we find there known as *H. yakushimensis* by the Japanese, is also categorised as variety *cordifolia* of *H. anomala ssp. petiolaris*. Before leaving Japan we are adding to our cultivars of the ever popular *H. involucrata*, ‘**Sterilis**’, is our latest, with sterile heads to match some *H. arborea*. We have a re-identification of *H. quelpartensis* **BSWJ 4400**, it is not that species but *var. tiliifolia* from the island of Ullüngdō (mix up). Moving on smartly to their cousins, *Deutzia crenata v. nakaiana* **BSWJ11184** takes us out of the frying pan and into the fire. This is our first collection of this variety with smaller but more numerous flowers, **BSWJ8879** is moved to *var. heterotricha*. If you consider my taxonomic skills woeful, listen on..... *D. scabra* **BSWJ11127** will be the first correctly named introduction of this species into British horticulture since its mix-up in 1877. What we have been growing under that name is *D. crenata*. Obvious once it has been pointed out.

It goes on, *D. coreana* BSWJ8588 is now considered to be *D. prunifolia* (the illustration was upside-down in the Flora, honest). No mistaking *D. paniculata*, also from Korea with its distinct outlandish panicles of small white flowers. Before we leave the hydrangea family I must mention *Philadelphus myrtoidea* BSWJ10436, astonishing when we found this in the high mountains of northern Guatemala with yellow flowers, disappointingly only white have been produced on the single plant that has flowered for us so far. Moving further south we collected *Vaccinium consanguineum* BSWJ10486 on the Cordillera de Talamanca, Costa Rica, where it grew high up in the clouds mimicking something from the myrtle family with small glossy leaves and plump black fruit. From the eastern side of the United States comes *Viburnum prunifolium*, where it is valued for its autumnal hues as well as the black edible fruit. Moving smartly back to Asia we are adding a couple of collections of *Weigela* from Japan, namely *W. decora* and *W. floribunda* neither have flowered as yet to confirm their identities. *Styrax obassia* BSWJ10890 is taking the place of our previous collection, this collection will definitely not disappoint, growing well in our exposed field already. There are also some additional collections of the increasingly popular *Lindera* from Japanese woodlands, *L. obtusiloba* will require no introduction, but *L. umbellata* and its variety may. Irresistible with their butter yellow small foliage and black fruit in the autumn held on dark stems. The bright red petioles on our collection of *Daphniphyllum macropodum* from Yakushima immediately caught our eyes, although only forming dwarfed trees in their challenging natural habitat. Further south from the coastal area of northern Taiwan I collected the seed of what appears to be the shrubby species *D. teysmannii*, which enjoys that exposed maritime environment. Not so with *D. majus* BSWJ11744, yet another new species to cultivation from northern Vietnam, where they form impressive small trees with 30cm long rugose leaves and grape-like pendant panicles of rounded blue-black fruit. Will anyone ever appreciate the time that we have spent searching for the fruit of these trees? It must be substantial by now. *Gamblea pseudoevodiifolia* BSWJ11707 also hails from this area, still think that *Evodiopanax* was a far more descriptive name for this *Schefflera*-like taxon, with evergreen leaflets and black panicles of fruit. Finally we are able to offer *Schefflera* aff. *myriocarpa* BSWJ11828, probably late in the season, a collection from a higher altitude than others of this group with a false or additional whirl of foliage. Meanwhile the name *S. kornasii* has been imposed on what we collected as *S. vietnamensis*. *S. alpina* BSWJ11827 on the other hand will be large enough to release by the spring along with the other much asked for *S. aff. chapana* BSWJ11833. I do make myself unpopular by refusing to sell these until they are large enough to be planted, it may not even make commercial sense to grow them to a size, but the last thing we wish to happen is for them to acquire an ill-founded reputation of being tender. When all they require is a little time to form some wood. I suspect the same is true of *Neolitsea* aff. *polycarpa* KWJ12309 a genus that Dan has been encouraging me to grow for years. This laurel relative from the forests of Fansipan, was irresistible with glossy orbicular foliage with

pronounced venation and long drip tip, while the fruit were a bright red in conspicuous clusters. The name *Tripterygium hypoglaucum* was used last year, but as ever the epithet has been transferred to *T. wilfordii* **WWJ12009**, a name coined for the incorrect plants for many years. While we have retained *T. hypoglaucum* for the Chinese collections. I am somewhat astonished on excursions of our field grown stock beds when people are so pleasantly impressed on encountering the horticultural merits of this genus as if it were for the first time. They have been in cultivation for around a century yet nobody thought of growing this woody climber as a shrub. We are also happy to introduce their close relatives *Celastrus kusanoi* **CWJ12445** and *C. paniculatus* **CWJ12478** from Taiwan, while *C. orbiculatus v. papillosus* **BSWJ591** is a re-introduction from Korea, all have a good display of yellow splitting fruit exposing the red-orange aril encased seed. *Clematis fujisanensis* **BSWJ11370** may look evergreen, but as is also common with *C. ternifolia* it has a flamboyant display of fragrant white flowers in late summer. *C. brachyura* **BSWJ8854** also has white flowers, but is a small herbaceous species, which we originally collected seed of from the frozen mountains to the north of Seoul, South Korea in 1993. The excitement when we found *C. fasciculiflora* **KWJ12160** was memorable, just a small branch poking its head out from dense undergrowth, even several other clematis were competing in this limestone area of northern Vietnam. The ornamentation of foliage displayed on the young plants has been exceptional, creating difficulty in selecting plants for our own garden. While *Holboellia brachyandra* **HWJ1023** from the same valley all be it from the acidic side, is back on our list with a new name, I will not extol its qualities too much or there will be too much demand, as this year at least we will not have many plants. Incidentally both this and *Schefflera taiwaniana* have been rejected by the trade (mass) of Europe as they cannot believe they are hardy. Yet in the USA they are gearing up for a huge demand, of course Europe will end up importing them. Lack of foresight or what.....? *Magnolia floribunda v. tonkinensis* **WWJ12003** is new to me although there was one of Dan Hinkley's collections offered as an affinity. As can be seen this is one identified by Peter Wharton, whom I was hoping could tutor me on this genus before his untimely death last year. *M. insignis* **BSWJ11800** was collected in 2006, from the forest on Fansipan, where Peter and I revisited the following year. Whereas *M. foveolata* **WWJ11929** was from way up north on the border with China, where they formed large stands of small trees. Our poor guides were exhausted running up and down the trees to collect more and more seed as we selected the best undersides of the superb foliage. It is from this same area that we collected the unmistakable (star-anise-like) seed capsules of *Illicium majus* **WWJ11919**, once included in the same family as magnolia. Hardly surprising as this, yet another new species to cultivation, has luxuriant foliage to 20 cm long. The middle sections of the leaves are undulate, rendering them easily identifiable even when the scented white flowers are not to be seen. *Schisandra aff. plena* **BSWJ664** is mentioned here as a close relative, because we have been forced into yet another name change as the previous taxon has been transferred to *Kadsura*. Not to be forgotten is another

collection of Dan's, *Pittosporum aff. oblongilimum* DJHV06137 with pleasing evergreen small undulating foliage, not flowered for us yet, but money on it to be scented. The *Polyspora* we introduced last year has been well received, this year we have a stable mate *P. longicarpa* WWJ11604 from our collection gathered near the Tram Ton Pass with the Whartons in 2006. A species with long seed capsules and narrower foliage, but still with the wonderful white camellia-like large flowers held in the autumn. Before leaving Vietnam *Photinia integrifolia* HWJ946 is one of many species we find here, another evergreen species with unusual matt green foliage and wide cymes of white-yellow flowers followed by purple-red berries in profusion. While *P. villosa v. coreana* BSWJ8789 is a variety of this colourful yet little known species also valued for its edible fruit and gorgeous autumnal foliage. *Rhododendron mucronulatum* BSWJ786 from the cold eastern parts of Korea is seldom seen, a deciduous species which can flower as early as January on the bare stems. There will be other similar species added through the season time permitting to identify them. *Sarcococca trinervia* BSWJ9500 is a collection from close to Ooty a hillstation in the Nilgiri Hills of southern India, better known for growing tea. Here it lined the roads as we drove to the summit of the highest peak, wish it was all as easy as that. Finally a few woodies we are adding to our list from cultivation. *Stewartia rostrata* has formed a small delicate tree in our walled garden where it has long been admired for its small foliage and abundance of white flowers. We've been having fun for years encouraging guests to our walled garden to rub the leaves of the male then female plants of *Skimmia anquetilia*, try it and see what it proves. *Aucuba japonica* 'Viridis' is yet another from the same garden which we keep on being asked for, wonderful display of red fruit in spring highlighted by the deeply toothed glossy (un-spotted) leaves. Then *Aristolochia sempervirens* refuses to stop flowering all summer and autumn, yet another wonderful plant from Louisa Arbuthnott of Stone House Cottage Nurseries. There is a lady with a eye for a good plant. Not forgetting *Daphne genkwa*, been on my list to plant out on top of a sunny stone wall for a while, always too busy in the spring, such is a nurseryman's lot.

N

- (*Berberidaceae*) Nandina domestica BSWJ4923etc
 (*Rosaceae*) Neillia thyrsiflora v. tonkinensis
 HWJ505 ❀
 (***Lauraceae***) **Neolitsea** **aff. polycarpa KWJ12309**
 (*Lamiaceae*) Nepeta stewartiana BSWJ7999
 - subsessilis
 (*Amaryllidaceae*) Nerine bowdenii 'Mollie Cowie'
 (*Liliaceae*) Nomocharis aperta
 - pardanthina f. punctata

O

- (*Onagraceae*) Oenothera epilobiifolia 'Finlay's Fancy'
 BSWJ9043
 (*Iridaceae*) Olsynium aff. trinerva BSWJ10459
 (previously *Sisyrinchium*)
 (*Woodsiaceae*) Onoclea sensibilis ❀
 (*Convallariaceae*) Ophiopogon caulescens HWJ590 etc
 - clavatus BSWJ8244
 - formosanus BSWJ3659 etc
 - intermedius v. parviflora
 HWJK2093
 - japonicus BSWJ1871
 - scaber BSWJ1842 etc
 - wallichianus v. pauciflorus
 GWJ9387
 (*Araliaceae*) Oplopanax horridus BSWJ9551
 (*Lamiaceae*) Origanum 'Rotkugel'
 - vulgare formosanum
 BSWJ3180
 (*Apiaceae*) Osmorhiza aristata BSWJ1607 etc
 (*Osmundaceae*) Osmunda claytoniana
 (*Oxalidaceae*) Oxalis oregana
 - f. smalliana

P

- (*Cruciferae*) Pachyphragma macrophyllum
 (*Buxaceae*) Pachysandra axillaris 'Crûg's Cover'
 BWJ8032
 - procumbens
 (*Paeoniaceae*) Paeonia delavayi BWJ7775
 - **japonica 10985**
 (*Araliaceae*) Panax japonicus BWJ7932 etc
 (*Asteraceae*) Parasenecio delphiniifolia BSWJ11189 etc
 - farfarifolia v. bulbifera
 (**see also as *Cacalia***)
 (*Trilliaceae*) Paris bockiana
 - chinensis
 - from Taiwan BSWJ265 etc
 - delavayi
 - fargesii
 - v. brevipetalata

<i>(Trilliaceae)</i>	Paris	fargesii v. petiolata
	-	forrestii
	-	incompleta
	-	japonica
	-	lancifolia
	-	- from Taiwan BSWJ3044 etc
	-	mairei
	-	polyphylla
	-	polyphylla BSWJ2125 etc
	-	- v. stenophylla
	-	quadrifolia
	-	tetraphylla
	-	thibetica
	-	- v. apetala
	-	verticillata
	-	- 'Ryokutei'
<i>(Papilionaceae)</i>	Parochetus	communis Golden Triangle form BSWJ7215
<i>(Vitaceae)</i>	Parthenocissus	henryana
	-	himalayana v. rubrifolia
	-	quinquefolia 'Guy's Garnet'
	-	semicordata BSWJ6551
	-	thomsonii BWJ8123
	-	tricuspidata 'Crûg Compact' BSWJ1162
<i>(Passifloraceae)</i>	Passiflora	umbilicata
<i>(Valerianaceae)</i>	Patrinia	gibbosa BSWJ876
	-	scabiosifolia BSWJ8740
<i>(Scrophulariaceae)</i>	Paulownia	kawakamii BSWJ9909
	-	X taiwaniana BSWJ7134
	-	tomentosa coreana from Ullüngdô BSWJ8503
<i>(Convallariaceae)</i>	Peliosanthes	arisanensis BSWJ3639
<i>(Saxifragaceae)</i>	Peltoboykinia	watanabei
<i>(Poaceae)</i>	Pennisetum	aloppecuroides BSWJ11434
	-	- f. erythrochaetum 'Ferris' BSWJ8413 ❀
<i>(Scrophulariaceae)</i>	Penstemon	aff. gentianoides BSWJ10249 etc
<i>(Araliaceae)</i>	Pentapanax	leschenaultii BSWJ9515
	-	longepedunculatus BSWJ11789
	-	subcordatus HWJK2385
	-	verticillatus BSWJ11797
<i>(Asclepiadaceae)</i>	Periploca	purpurea BSWJ7235
<i>(Lauraceae)</i>	Persea	japonica BSWJ8410
<i>(Polygonaceae)</i>	Persicaria	amplexicaulis v. pendula HWJK2255
	-	milletii
	-	tenuicaulis ❀
	-	virginiana 'Painters Palette'
<i>(Asteraceae)</i>	Petasites	japonicus v. giganteus
<i>(Gesneriaceae)</i>	Petrocosmea	kerrii 'Crème de Crûg' BWJ6634
	-	aff. martinii 'Crûg's Capricious' BWJ7249

(<i>Apiaceae</i>)	Peucedanum	japonicum BSWJ8816b
	-	siamicum BSWJ 6487
(<i>Rutaceae</i>)	Phellodendron	amurense BWJ11000
	-	japonicum BSWJ11175
(<i>Hydrangeaceae</i>)	Philadelphus	aff. calvescens BWJ8005
	-	delavayi v. purpurascens BWJ7540
	-	aff. incanus BSWJ8616
	-	mexicanus BSWJ10253 etc
	-	myrtoidea BSWJ10436 etc
	-	satsumi BSWJ10811 etc
	-	schrenkii BSWJ8616
	-	tomentosus BSWJ2707 etc
(<i>Philesiaceae</i>)	Philesia	magellanica
(<i>Rosaceae</i>)	Photinia	integrifolia HWJ946
	-	lucida
	-	microphylla HWJ564 etc
	-	villosa BSWJ8665
	-	- v. coreana BSWJ8789 ❀
	-	- v. laevis BSWJ8877 ❀
	-	- v. zollingeri BSWJ8903
(<i>Solanaceae</i>)	Physaliastrum	sinense BWJ8093
(<i>Solanaceae</i>)	Physalis	angulata BSWJ7016 etc
	-	campanula BSWJ10409
(<i>Phytolaccaceae</i>)	Phytolacca	acinosa HWJ647
	-	americana BSWJ1000 etc
	-	icosandra BSWJ8988 etc
	-	- Purpurescens BSWJ11251
	-	japonica BSWJ4897 etc
	-	octandra BSWJ9514 etc
	-	rivinooides BSWJ10264
	-	rugosa BSWJ10263
(<i>Ericaceae</i>)	Pieris	formosa BSWJ2257
(<i>Hydrangeaceae</i>)	Pileostegia	viburnoides BSWJ3565 etc
(<i>Araceae</i>)	Pinellia	cordata
	-	ternata BSWJ3532
	-	tripartita BSWJ1102
	-	- 'Purple Face' BSWJ4850
(<i>Pittosporaceae</i>)	Pittosporum	daphniphylloides BSWJ6789 etc
	-	illicioides v. angustifolium BSWJ6771 etc
	-	- v. illicioides BSWJ6712 etc
	-	aff. oblongilimum DJHV06137etc
(<i>Hydrangeaceae</i>)	Platycrater	arguta BSWJ6266 etc
(<i>Lamiaceae</i>)	Plectranthus	longitubus BSWJ11027
(<i>Apiaceae</i>)	Pleurospermum	aff. album KWJ12281
	-	aff. amabile BWJ7886
	-	benthamii BSWJ2988
	-	calcareum BWJ8008
	-	yunnanensis BWJ7952a
(<i>Berberidaceae</i>)	Podophyllum	delavayi

(<i>Berberidaceae</i>)	Podophyllum	difforme
-	-	hexandrum chinensis
-	-	- chinensis BSWJ7908
-	-	peltatum
-	-	pleianthum
-	-	pleianthum BSWJ282
-	-	- short form
-	-	versipelle
(<i>Convallariaceae</i>)	Polygonatum	alte-lobatum BSWJ286 etc
-	-	aff. anomalum BSWJ6599
-	-	arisanense
-	-	biflorum
-	-	cathcartii BSWJ2429
-	-	cirrhifolium
-	-	cryptanthum
-	-	curvistylum
-	-	cyrtonema (Hua) BSWJ271 etc
-	-	desoulavyi v. yezoense
-	-	BSWJ764
-	-	falcatum BSWJ5101 etc
-	-	filipes
-	-	fuscum
-	-	geminiflorum
-	-	graminifolium
-	-	hirtum
-	-	hookeri
-	-	humile
-	-	X hybridum ❀
-	-	- 'Striatum'
-	-	inflatum BSWJ922 etc
-	-	involucratum BSWJ4285 etc
-	-	kingianum yellow flowering
-	-	variety BSWJ6562 etc
-	-	lasianthum BSWJ671 etc
-	-	nodosum
-	-	odoratum
-	-	- v. maximowiczii
-	-	- v. pluriflorum 'Variegatum'
-	-	- 'Red Stem'
-	-	- v. thunbergii
-	-	oppositifolium BSWJ2537 etc
-	-	prattii
-	-	pubescens
-	-	punctatum BSWJ2395 etc
-	-	roseum
-	-	sibiricum
-	-	stenanthum BSWJ5727
-	-	stenophyllum
-	-	aff. tessellatum BSWJ9752
-	-	tonkinensis HWJ551 etc
-	-	- white/green flowering
-	-	HWJ861
-	-	verticillatum
-	-	- 'Rubrum'
-	-	zanlanscianense

(<i>Polygonaceae</i>)	Polygonum	chinense BSWJ11268
(<i>Rosaceae</i>)	Polylepis	australis
(<i>Theaceae</i>)	Polyspora	longicarpa WWJ11604
	-	speciosa BSWJ11750 etc
(<i>Dryopteridaceae</i>)	Polystichum	munitum
	-	aff. neolobatum BWJ8182
	-	rigens
(<i>Primulaceae</i>)	Primula	jesoana BSWJ618
	-	kisoana
	-	- v. shikokiana
(<i>Apiaceae</i>)	Prionosciadium	thapsoides BSWJ10345 (previously listed as <i>Angelica</i>)
(<i>Rosaceae</i>)	Prunus	maximowiczii BSWJ10967
(<i>Asteraceae</i>)	Psacalium	pinetorum BSWJ10269
(<i>Papaveraceae</i>)	Pteridophyllum	racemosum
(<i>Pteridaceae</i>)	Pteris	angustipinna BSWJ6738 etc
(<i>Boraginaceae</i>)	Pulmonaria	angustifolia 'Blaues Meer' ❀
	-	'Barfield Regalia' ❀
	-	'Botanic Hybrid' ❀
	-	'Cally Hybrid' ❀
	-	'Lewis Palmer' ❀
	-	'Little Star' ❀
	-	longifolia 'Bertram Anderson' ❀
	-	mollis ❀
	-	rubra 'Barfield Pink' ❀
	-	'Saint Ann's' ❀
	-	'Sissinghurst White' ❀
(<i>Rosaceae</i>)	Purshia	aff. mexicana BSWJ9040
R		
(<i>Berberidaceae</i>)	Ranzania	japonica
(<i>Convallariaceae</i>)	Reineckea	carnea
	-	- from Japan BSWJ4808 ❀
	-	- 'Baoxing Booty' BWJ8096
	-	aff. - 'Crûg's Broadleaf' BWJ8096
(<i>Araceae</i>)	Remusatia	hookeriana BSWJ2529
(<i>Rosaceae</i>)	Rhaphiolepis	indica BSWJ8405
	-	umbellata f. ovata BSWJ8401
(<i>Polygonaceae</i>)	Rheum	acuminatum HWJCM252 etc
	-	palmatum 'Atrosanguineum'
	-	ribes
(<i>Crassulaceae</i>)	Rhodiola	bupleuroides HWJK2258
	-	cretinii HWJK2283
	-	fastigiata BWJ7544
	-	sinuata HWJK2318 etc
	-	wallichiana HWJK2352 etc
(<i>Ericaceae</i>)	Rhododendron	barbatum BSWJ2237 etc ❀
	-	campanulatum HWJCM195 etc
	-	mucronulatum BSWJ786 ❀
	-	niveum BSWJ2675 ❀
	-	thomsonii BSWJ2638 ❀

(<i>Rosaceae</i>)	Rhodotypos	scandens
(<i>Anacardiaceae</i>)	Rhus	ambigua BSWJ3656 etc
	-	- large leafed BSWJ10884
(<i>Grossulariaceae</i>)	Ribes	griffithiana GWJ9331 ❀
(<i>Saxifragaceae</i>)	Rodgersia	nepalensis HWJK2140
	-	pinnata BWJ7741a
	-	- 'Crûg Cardinal'
	-	- pink
	-	- white
	-	podophylla
	-	- from north Japan BSWJ10818 etc
	-	sambucifolia BWJ7899
(<i>Convallariaceae</i>)	Rohdea	japonica BSWJ4853 etc
	-	watanabei BSWJ1911 etc
(<i>Rosaceae</i>)	Rosa	macrophylla BSWJ2603 etc
	-	sericea v. morrisonensis
	-	BSWJ7139
	-	- sp. omeiensis BWJ7550
(<i>Zingiberaceae</i>)	Roscoea	alpina
	-	- short form
	-	auriculata BSWJ2594
	-	- early form
	-	- late form
	-	australis
	-	'Beesiana'
	-	- pale flowered
	-	cautleyoides
	-	- 'Crûg's Late Lemon'
	-	BWJ7781
	-	aff. praecox BWJ7848
	-	purpurea HWJK2020 etc
	-	- tall form
	-	- 'Vannin' HWJK2406
	-	scillifolia f. atropurpurea
	-	- f. scillifolia (pink)
	-	tibetica BWJ7878 etc
	-	- f. atropurpurea BWJ7640
(<i>Lamiaceae</i>)	Rostrinucula	sp. from Vietnam BSWJ11739
(<i>Rosaceae</i>)	Rubus	arcticus
	-	buergeri BSWJ5555
	-	formosensis BSWJ1798
	-	aff. gachetensis BSWJ10603
	-	henryi v. bambusarum
	-	lineatus
	-	- from Nepal HWJK2045
	-	- from Sumatra BSWJ11261
	-	- from Vietnam HWJ892
	-	parviflorus double form
	-	pectinellus v. trilobus
	-	BSWJ1669b
	-	pentalobus BSWJ3878
	-	rolfei BSWJ3066 etc
	-	splendidissimus BSWJ2361 etc
	-	swinhoei BSWJ1735

(<i>Rosaceae</i>)	Rubus	taiwanicola CWJ12400
	-	treutleri BSWJ2139
	-	trilobus BSWJ9096
	S	
(<i>Salicaceae</i>)	Salix	fargesii
(<i>Lamiaceae</i>)	Salvia	ampelophylla BSWJ10751
	-	bulleyana
	-	campanulata GWJ9294 etc
	-	- aff. var. hirtella GWJ9397
	-	aff. chamaedryoides BSWJ9032
	-	aff. curtiflora BSWJ10356
	-	digitaloides BWJ7777
	-	flava v. megalantha BWJ7974
	-	glabrescens BSWJ11152
	-	- v. robustum BSWJ11147
	-	aff. holwayi BSWJ8995
	-	aff. iodochroa BSWJ10252
	-	karwinskii BSWJ9081 etc
	-	koyamae BSWJ10919
	-	lavanduloides BSWJ9053
	-	mexicana BSWJ10288 etc
	-	nana BSWJ10272
	-	nipponica BSWJ5829 ❀
	-	aff. nubicola BWJ7639 ❀
	-	aff. oblongifolia BSWJ10315
	-	omeiana 'Crûg Thundercloud' BWJ8062
	-	polystachya BWJ8985
	-	przewalskii BWJ7920 etc
	-	red species from Guatemala BSWJ10375
	-	vitifolia BSWJ10236
(<i>Caprifoliaceae</i>)	Sambucus	mexicana BSWJ10349
	-	racemosa 'Crûg Lace'
(<i>Papaveraceae</i>)	Sanguinaria	canadensis
(<i>Rosaceae</i>)	Sanguisorba	hakusanensis BSWJ8709
(<i>Euphorbiaceae</i>)	Sapium	japonicum BSWJ8744
(<i>Buxaceae</i>)	Sarcococca	balansae BSWJ7285 etc
	-	brevifolia GWJ9480
	-	confusa
	-	hookeriana HWJK2393
	-	- v. digyna 'Purple Stem'
	-	- v. digyna 'Schillingii'
	-	- v. hookeriana BSWJ2585 etc
	-	- v. humilis
	-	ruscifolia
	-	- v. chinensis
	-	- v. - 'Dragon Gate'
	-	saligna MFP2056
	-	trinervia BSWJ9500 etc
	-	wallichii BSWJ2291 etc

(<i>Aristolochiaceae</i>)	Saruma	henryi
(<i>Araceae</i>)	Sauromatum	venosum
(<i>Saxifragaceae</i>)	Saxifraga	cortusifolia BSWJ5879
	-	- 'Ruby Wedding' BSWJ4951
	-	- v. stolonifera BSWJ6205
	-	'Cuscutiformis'
	-	epiphylla 'Little Piggy'
	-	- 'Precious Piggy' BWJ7750
	-	- 'Purple Piggy'
	-	fortunei BSWJ6346
	-	- f. alpina from Hokkaido
	-	- 'Fumiko' BSWJ6124
	-	- v. koraiensis BSWJ8688
	-	- f. partita
	-	- v. pilosissima BSWJ8557 etc
	-	- 'Rubrifolia'
	-	hirsuta
	-	imparilis
	-	mertensiana
	-	nipponica 'Pink Pagoda'
	-	rufescens BWJ7510 etc
	-	sendaica
	-	stolonifera BSWJ4972
	-	- 'Hime'
	-	- 'Kinki Purple' BSWJ4972
	-	veitchiana
(<i>Araliaceae</i>)	Schefflera	alpina HWJ8247 etc
	-	aff. brevipedicellata HWJ870 etc
	-	aff. chapana HWJ983 etc
	-	enneaphylla BSWJ11727 etc
	-	gracilis HWJ622 etc
	-	fantsipanensis BSWJ11666 etc
	-	hoi BSWJ11747
	-	kornasii BSWJ11830
	-	lenticeliata BSWJ9762
	-	macrophylla BSWJ9788 etc
	-	microphylla BSWJ3872
	-	aff. myriocarpa BSWJ11828
	-	petelotii (<i>see macrophylla</i>)
	-	taiwaniana BSWJ7096 etc
	-	vietnamensis BSWJ11830
(<i>Schisandraceae</i>)	Schisandra	arisanensis BSWJ3050
	-	aff. bicolor BWJ8151
	-	chinensis BSWJ4611 etc
	-	grandiflora BSWJ2245
	-	- 'Jamu' (m) BSWJ2245
	-	- 'Lhalu' (f) BSWJ2245
	-	henryi v. yunnanensis
	-	BSWJ6546
	-	nigra BSWJ5897 etc
	-	aff. plena BSWJ664
	-	propinqua v. sinensis BWJ8148 etc
	-	repanda BSWJ11455
	-	rubriflora BWJ7557

(<i>Schisandraceae</i>)	Schisandra	rubriflora × grandiflora
(<i>Hydrangeaceae</i>)	Schizophragma	aff. corylifolium BSWJ8150
	-	aff. elliptifolium WWJ11905 etc
	-	hydrangeoides BSWJ5954 etc
	-	- 'Cheju's Early' BSWJ1160
	-	- 'Moonlight'
	-	- f. quelpartensis BSWJ8771
	-	- 'Roseum'
	-	- from Ullüngdö BSWJ8505 etc
	-	- from Yakushima BSWJ6119
	-	integrifolium v. fauriei
		BSWJ7052 etc
(<i>Hyacinthaceae</i>)	Scilla	scilloides BSWJ8812
(<i>Trilliaceae</i>)	Scoliopus	hallii
(<i>Solanaceae</i>)	Scopolia	carniolica
(<i>Lamiaceae</i>)	Scutellaria	maekawae BSWJ5557a
(<i>Crassulaceae</i>)	Sedum	aff. beauverdii HWJ824
	-	aff. cryptomerioides BSWJ054
	-	kamtschaticum BSWJ10870
	-	- v. ellacombeanum BSWJ8853
	-	morrisonense BSWJ7078
	-	takesimense BSWJ8518 etc
	-	ussuriense 'Chuwangsan'
		BSWJ723
	-	viviparum BSWJ8480 etc
(<i>Apiaceae</i>)	Selinum	wallichianum HWJK2224 etc
(<i>Ranunculaceae</i>)	Semiaquilegia	ecalcarata
	-	- f. bicolor
	-	- 'Snowbell'
(<i>Asteraceae</i>)	Senecio	formosoides BSWJ10736 etc
	-	formosus BSWJ10700 etc
	-	gerberifolius BSWJ10357 etc
	-	mortoni GWJ9419
	-	smithii
(<i>Caesalpiniaceae</i>)	Senna	aff. alata BSWJ9772
(<i>Poaceae</i>)	Setaria	aff. palmifolia BSWJ8132
(<i>Lardizabalaceae</i>)	Sinofranchetia	chinensis
(<i>Iridaceae</i>)	Sisyrinchium	convolutum BSWJ9117 etc
	-	aff. trinerva BSWJ10459
		(see <i>Olsynium</i>)
	-	aff. unispathaceum BSWJ10683
(<i>Rutaceae</i>)	Skimmia	anquetilia female
	-	anquetilia male
	-	arborescens BSWJ11799
	-	- ssp. nitida BSWJ8239
	-	arisanensis BSWJ7114 etc
	-	black fruiting species from
		northern Vietnam BSWJ8259
	-	× confusa 'Kew Green'
	-	japonica female BSWJ5053
	-	japonica male BSWJ5053
	-	- v. distincte-venulosa
		BSWJ3544

(<i>Rutaceae</i>)	Skimmia	japonica v. intermedia f. repens BSWJ5560 etc
	-	- ssp. reevesiana BSWJ3763 etc
	-	laureola ssp. laureola HWJK2095 etc
	-	- v. multinerva GWJ9374
(<i>Smilacaceae</i>)	Smilax	aspera
	-	china BSWJ4427etc
	-	glaucophylla BSWJ2971
	-	nipponica BSWJ4331
	-	sieboldii BSWJ744 etc
(<i>Solanaceae</i>)	Solanum	aff. stenophyllum BSWJ10744
	-	shrubby sp. from Guatemala BSWJ10395 (see <i>Lycianthes</i>)
(<i>Rosaceae</i>)	Sorbaria	aff. assurgens BWJ8185 ❀
	-	sorbifolia v. stellipila BSWJ776 etc ❀
(<i>Rosaceae</i>)	Sorbus	alnifolia BSWJ10948
	-	brevipetiolata BSWJ11771
	-	commixta BSWJ8496
	-	- v. rufro ferruginea BSWJ11486
	-	- v. sachalinensis BSWJ8515 etc
	-	corymbifera WWJ11860
	-	epidendron WWJ11930
	-	aff. granulosa HWJ1041
	-	japonica BSWJ10813 etc
	-	ligustrifolia WWJ12004
	-	meliosmifolia BSWJ11709
	-	microphylla GWJ9252
	-	randaiensis BSWJ3202
	-	subulata HWJ925 etc
	-	thompsonii GWJ9363
	-	aff. thibetica BWJ7757a
(<i>Convallariaceae</i>)	Speirantha	convallarioides
(<i>Rosaceae</i>)	Spiraea	formosana BSWJ1597
	-	hayatana RWJ10003 etc
(<i>Stachyuraceae</i>)	Stachyurus	himalaicus HWJCM009 etc
	-	lancifolius BSWJ5690 etc
	-	aff. lancifolius from Yakushima BSWJ11508
	-	praecox BSWJ8898 etc
	-	- v. matsuzakii BSWJ11229
	-	sigeyosii BSWJ6915 etc
	-	sp. from Nepal HWJK2052
	-	aff. szechuanensis BWJ8153
(<i>Staphyleaceae</i>)	Staphylea	bumalda BSWJ11053
(<i>Lardizabalaceae</i>)	Stauntonia	aff. chinensis DJHV06175
	-	hexaphylla BSWJ4858
	-	leucantha KWJ12218
	-	obovatifoliola BSWJ3685
	-	- from north Taiwan CWJ12353
	-	purpurea BSWJ3690 etc
	-	yaoshanensis BSWJ8223 etc

(<i>Menispermaceae</i>)	Stephania	longa KWJ12163
	-	rotunda BSWJ2396
	-	sinica BWJ8094
	-	aff. tetrandra WWJ11896
(<i>Theaceae</i>)	Stewartia	pseudocamellia BSWJ11044
	-	pteropetiolata BSWJ11726 etc
	-	rostrata
(<i>Convallariaceae</i>)	Streptopus	amplexicaulis
(<i>Acanthaceae</i>)	Strobilanthes	attenuata
	-	flexicaulis BSWJ354
	-	aff. inflatus BSWJ7754
	-	pentstemonoides HWJK2019
	-	rankanensis BSWJ1771
	-	wallichii
(<i>Papaveraceae</i>)	Stylophorum	diphyllum
	-	lasiocarpum
(<i>Styracaceae</i>)	Styrax	formosana v. formosana BSWJ6797 etc
	-	- v. hayatiana BSWJ6823
	-	japonica BSWJ8770 etc
	-	obassia BSWJ10890
	-	suberifolius WWJ11868
(<i>Caprifoliaceae</i>)	Symphoricarpos	guatemalensis BSWJ10316
(<i>Araceae</i>)	Symplocarpus	foetidus v. latissimus
	-	nipponicus
(<i>Boraginaceae</i>)	Symphytum	'Hidcote Blue'
(<i>Asteraceae</i>)	Syneilesis	aconitifolia BSWJ879
	-	palmata BSWJ4149 etc
	-	subglabrata BSWJ298
	-	aff. tagawae BSWJ11191
T		
(<i>Saxifragaceae</i>)	Tanakaea	radicans
(<i>Proteaceae</i>)	Telopea	truncata
(<i>Rutaceae</i>)	Tetradium	glabrifolium BSWJ6882 etc
	-	ruticarpum BSWJ3541
(<i>Araliaceae</i>)	Tetrapanax	papyrifera 'Di-Sue-Shan' BWJ12488
	-	- 'Rex' BSWJ1925
(<i>Ranunculaceae</i>)	Thalictrum	actaeifolium BSWJ4664 etc
	-	- v. brevistylum BSWJ8819
	-	aquilegifolium v. sibiricum BSWJ11007
	-	chelidonii HWJK2216
	-	delavayi BWJ7903 etc
	-	- purple stemmed form BWJ7748
	-	- v. acuminatum BWJ7535 etc
	-	- v. decorum BWJ7770
	-	- v. mucronatum DJHC473
	-	diffusiflorum
	-	filamentosum BSWJ777 etc

(<i>Ranunculaceae</i>)	Thalictrum	filamentosum v. yakusimense BSWJ6094
-		honanense BWJ7962
-		ichangense BSWJ8203
-		- v. minus 'Chinese Chintz'
-		javanicum BSWJ9506
-		- v. puberulum BSWJ6770
-		johnstonii BSWJ9127
-		minus v. hypoleucum BWJ10932 ❀
-		omeiense BWJ8049
-		osmundifolium
-		platycarpum HWJCM367
-		przewalskii
-		punctatum BSWJ1272
-		ramosum BWJ8126
-		reniforme BSWJ2610 etc
-		reticulatum BWJ7407
-		rochebruneanum
-		rubescens BSWJ10006
-		simplex v. brevipes BSWJ8883 ❀
-		tenuisubulatum BWJ7929 ❀
-		tuberiferum BSWJ10999
-		yunnanense
(<i>Asclepiadaceae</i>)	Thunbergia	aff. fragrans GWJ9441
(<i>Saxifragaceae</i>)	Tiarella	polyphylla
-		- 'Baoxing Pink' BWJ8085
(<i>Iridaceae</i>)	Tigridia	orthantha 'Red-Hot Tiger' BSWJ10244
(<i>Apiaceae</i>)	Tilingia	ajanensis BSWJ11202
(<i>Melanthiaceae</i>)	Tofieldia	aff. coccinea
(<i>Apocynaceae</i>)	Trachelospermum	asiaticum BSWJ4814
-		- v. intermedium BSWJ8733
-		jasminoides BSWJ5117 etc
-		- 'Wilsonii' W776
(<i>Boraginaceae</i>)	Trachystemon	orientalis
(<i>Ranunculaceae</i>)	Trautvetteria	caroliniensis v. japonica
-		- v. japonica BSWJ10861
-		- v. occidentalis
(<i>Convallariaceae</i>)	Tricyrtis	affinis BSWJ5640 etc
-		- 'Early Bird' BSWJ5525
-		flava
-		formosana BSWJ355 etc
-		- v. glandosa BSWJ7084
-		- - 'Blu-Shing Toad' BSWJ052
-		- v. grandiflora 'W-Ho-Ping Toad' BSWJ6905
-		- 'Small Wonder' BSWJ306
-		- 'Spotted Toad' BSWJ1769
-		- v. stolonifera BSWJ7046
-		- 'Taroko Toad' BSWJ6705
-		- 'Tiny Toad' BSWJ7071
-		- 'Variegata'
-		- 'Velvet Toad' RWJ10104
-		hirta BSWJ2827etc

(<i>Convallariaceae</i>)	Tricyrtis	hirta v. masamunei
	-	ishiana
	-	- v. surugensis
	-	lasiocarpa BSWJ3635 etc
	-	- 'Royal Toad' BSWJ7014
	-	latifolia BSWJ10996
	-	'Lilac Towers'
	-	macrantha
	-	- ssp. macranthopsis
	-	- - 'Juro'
	-	macropoda from Japan
		BSWJ5847 etc
	-	- from Korea BSWJ1271 etc
	-	maculata HWJCM470 etc
	-	nana BSWJ11399
	-	ohsumiensis
	-	perfoliata
	-	- 'Spring Shine' (v)
	-	setouchiensis BSWJ4701
	-	species from Taiwan BSWJ3229
	-	suzukii RWJ10111 etc
(<i>Trilliaceae</i>)	Trillium	albidum
	-	angustipetalum
	-	camschatcense
	-	cernuum
	-	chloropetalum v. giganteum
	-	cuneatum
	-	erectum
	-	- f. albiflorum
	-	flexipes
	-	grandiflorum
	-	luteum
	-	recurvatum
	-	rugelii
	-	smallii
	-	sulcatum
	-	taiwanensis BSWJ3411
	-	undulatum
	-	vaseyi
(<i>Caprifoliaceae</i>)	Triostemon	himalayanum BWJ7907
(<i>Gentianaceae</i>)	Tripterospermum	aff. chevalieri BSWJ8359
	-	cordifolium BSWJ081
	-	distylum BSWJ11491
	-	fasciculatum BSWJ11297
	-	hirticalyx BSWJ11786 etc
	-	japonicum BSWJ5556 etc
	-	lanceolatum BSWJ085 etc
	-	pasquieri BSWJ11725
	-	taiwanense BSWJ1205 etc
	-	volubile BSWJ11774
(<i>Celastraceae</i>)	Tripterygium	hypoglauca BSWJ7852
	-	regelii BSWJ5453 etc

- (*Celastraceae*) Tripterygium regelii v. occidentale BSWJ10921
 - **wilfordii BSWJ12009**
- (*Trochodendraceae*) Trochodendron aralioides from Taiwan
 - **BSWJ12357** etc
- (*Tropaeolaceae*) Tropaeolum ciliatum
 - speciosum
- (*Convallariaceae*) Tupistra aurantiaca BSWJ2267 etc
 - tonkinensis HWJ562
 - wattii BSWJ8297
- U**
- (*Convallariaceae*) Uvularia grandiflora
 - v. pallida
 - 'Susie Lewis'
 - perfoliata
 - sessilifolia
 - 'Cobblewood Gold'
- V**
- (*Ericaceae*) **Vaccinium consanguineum BSWJ10486**
 - **dunalianum v. caudatifolium BSWJ6816**
 - v. megaphyllum HWJ515
- (*Berberidaceae*) Vancouveria chrysantha
 - hexandra
 - planipetala
- (*Melanthiaceae*) Veratrum album
 - v. flavum
 - v. oxysepalum
 - formosanum BSWJ1575 etc
 - grandiflorum BSWJ4416 etc
 - longibracteatum
 - maackii v. japonicum
 - v. maackii BSWJ5831 etc
 - nigrum
 - schindleri BSWJ4068
 - stamineum
 - ussuriense BSWJ4450
- (*Scrophulariaceae*) Verbascum densiflorum BSSS232
- (*Scrophulariaceae*) Veronicastrum aff. latifolium BWJ8158
 - sibiricum BSWJ6352
 - ssp. japonicum v. australe BSWJ11009
 - villosulum
- (*Caprifoliaceae*) Viburnum aff. annamensis BSWJ8302
 - arboricolum BSWJ6913 etc
 - atrocyanum BSWJ7272 etc
 - awabuki BSWJ8404
 - from Wabuka BSWJ11374
 - betulifolium 'Hohuanshan' BSWJ3200
 - buddlejifolium ❀
 - carlesii BSWJ8838
 - **chingii ❀**
 - coriaceum BSWJ9719

- (*Caprifoliaceae*) *Viburnum*
- cylindricum
 - from China BSWJ7778
 - from Nepal HWJCM434
 - from Thailand BSWJ6479 etc
 - dilatatum BSWJ8734 etc ❀
 - erosum BSWJ3585 **etc**
 - erubescens v. gracilipes
HWJK2163
 - foetidum v. rectangulatum
BSWJ3451 etc ❀
 - furcatum BSWJ5939 etc
 - harryanum
 - japonicum BSWJ5968
 - koreanum BSWJ4231
 - luzonicum BSWJ3930
 - aff. - v. floribundum BSWJ8281 ❀
 - v. oblongum BSWJ3549 ❀
 - mullaha GWJ9388 ❀
 - nervosum BSWJ2251a ❀
 - aff. odoratissimum BSWJ3913
 - odoratissimum RWJ10046
 - opulus v. calvescens BSWJ10844
 - pinchinchense BSWJ10660
 - **prunifolium**
 - punctatum BSWJ9532
 - sambucinum HWJ838
 - sargentii BSWJ8695
 - sieboldii BSWJ2837 ❀
 - sp. from Mexico BSWJ10290
 - sp. from N. India GWJ9388
 - sp. from Sikkim GWJ9227
 - taiwanianum BSWJ3009 etc
 - **triphylllum BSWJ10757**
 - urceolatum BSWJ6988
 - aff. venustum BSWJ10477
 - wrightii BSWJ8780 etc ❀
 - v. stipellatum BSWJ5844 etc ❀
- (*Violaceae*) *Viola*
- (*Vitaceae*) *Vitis*
- amurensis BSWJ4138
 - coignetiae BSWJ4744 etc
 - v. glabrescens BSWJ8537
 - from Japan BSWJ10882 **etc**
 - from Korea BSWJ4550 etc
 - flexuosa BSWJ5568 etc
 - v. choii BSWJ4101
 - **f. parvifolia BSWJ1946**
 - piasezkii v. pagnuccii
 - 'Spetchley Red'
 - thunbergii BSWJ4702

W

- (*Rosaceae*) *Waldsteinia*
- (*Caprifoliaceae*) **Weigela**
- ternata
 - **aff. decora BSWJ10834**
 - **aff. floribunda BSWJ10831**

(<i>Caprifoliaceae</i>)	Weigela	florida BSWJ8439
	-	middendorffiana
	-	praecox BSWJ8705
	-	- ' Variegata '
	-	subsessilis BSWJ1056 etc
(<i>Ericaceae</i>)	Wittsteinia	vacciniacea
(<i>Blechnaceae</i>)	Woodwardia	orientalis v. formosana BSWJ6865
Y		
(<i>Melanthiaceae</i>)	Ypsilandra	thibetica
Z		
(<i>Araceae</i>)	Zantedeschia	aethiopica 'Crowborough' - 'Luzon Lovely' BSWJ3959
	-	acanthopodium GWJ9287
(<i>Rutaceae</i>)	Zanthoxylum	ailanthoides from Korea BSWJ8535
	-	- from Japan BSWJ11115 etc
	-	- f. inermis RWJ10048
	-	armatum HWJK2178
	-	bungeanum HWJK2131
	-	faurei BSWJ11523
	-	laetum WWJ11678 etc
	-	myriacanthum BSWJ11844
	-	nepalense HWJK2199
	-	oxyphyllum GWJ9428
	-	piperitum BSWJ8543 etc
	-	schinifolium from Korea BSWJ8593
	-	- from Japan BSWJ11391 etc
(<i>Ulmaceae</i>)	Zelkova	serrata BSWJ8491
(<i>Melanthiaceae</i>)	Zigadenus	volcanicus BSWJ9110 etc
(<i>Zingiberaceae</i>)	Zingiber	mioga 'Crûg's Zing' BSWJ4379

Herbaceous to tuberous including a few climbers

From woodland conditions in Japan we have found *Aconitum aff. zigzag v. ryohakuense* BSWJ8906 a naturally arching species with conventional monkshood blue flowers. While *A. albo-violaceum v. purpurea* BSWJ8477 is an additional colour form of this species rather than a variety (who am I to argue). Bearing elongated slender helmets on angled stems that will twine if given a host, but also happy to form a clump of plate-like basal leaves with protruding flowering spikes. *A. loczyanum* BSWJ11529 was the obvious identity of a Japanese species we found growing in quite different conditions from an open exposed Ōnogahara Plateau, Shikoku Island Japan at 1100m in the autumn of 2006. An upright species to about a metre with dark green mottled deeply divided palmate foliage and terminal panicles of elongated slender purple helmets. No prizes for guessing the home of *Anemone sumatrana* BSWJ11265, although we were not expecting such a temperate plant even though we were on the slopes of their highest volcano. It inhabited dank forest floors where the mottled foliage formed small colonies. With the widely opening white long stemmed flowers held above, in umbels which migrate to the forest floor once flowering has ceased, rooting as they do so. *Thalictrum rubescens* BSWJ10006 is only a small species forming more scattered colonies all be it in a far more hostile environment mixed with dwarf bamboo in a sheltered gully high up on Hohuanshan eastern Taiwan. *T. tuberiferum* BSWJ10999 was also from a challenging altitude in Japan, forming clumps of large three-lobed leaflets which had 60 cm tall stems of fluffy white flowers earlier. From forests up in the north of Honshu we have a collection of *Paeonia japonica* 10985 where we found a few plants in seed resulting from the white flowers. *Asarum nipponicum* BSWJ2839 has taken a number of years to bulk up enough for us to offer, a selection with patterned leaves. *Cacalia farfarifolia v. acerina* BSWJ11541 is one of our stronger growing species from Japanese mountain forests, with arrow-shaped foliage and panicles of white-yellow flowers. Differing from the white flowering species *C. kiusiana* BSWJ11460 which has palmately five deltoidly-lobed (triangular) leaves irregularly sharply long toothed, if you can't work out what that looks like, its easier to look at the website. As is the case with *C. hastatus v. farfaraefolius* BSWJ114680 of a similar ilk, but smaller with hastate leaves and flared fluffy white flowers. *Ainsliaea chapaensis* BSWJ11720 may be closely related, but originates from warmer Vietnamese forest floor, with slender spikes of white propeller-like flowers. *Tripterospermum volubile* BSWJ11774 was sharing the floor of the same forest twinning above its hosts when it could to show off its white trumpet-shaped flowers similar to its gentian kin. Another of our Vietnamese collections has been re-branded *Sedum aff. beauverdiei* HWJ824 somewhat unconvincingly I have to confess, as this relates to a Chinese species from much higher altitudes. We will also have some plants of *S. morrisonense* BSWJ7078 another yellow flowering prostrate grower, but named after the highest mountain in Taiwan,

Mt. Morrison that was (Yushan nowadays). I must mention *Rubus taiwanicola* **CWJ12400** as again a new collection proved superior in form, hopefully we can propagate from the few plants left after the onslaught. *Ardisia japonica* **BSWJ1032** hails from the island of Chejudō South Korea, where this small evergreen tightly suckering shrub covers the forest floors bearing small white flowers in clusters followed by bright red fruit. *Adenophora* **BSWJ8608** refuses to be categorised, never the less it proved irresistible last year as *A. radiatifolia*, it has been re-christened as *A. verticillata* this year. *A. takedae* **BSWJ11424** is a much smaller plant collected on a memorably beautiful day at the top of a Shikoku mountain where we found untold goodies on our ascent. At last *Lobelia montana* **BSWJ8220** has been identified, a peculiar species from the dark forests of Vietnam and beyond. I wish the same could be said for *Impatiens* species from China **DJHC98415**, it is a worthy plant which appears to be well behaved, a female only clone with shell pink flowers over dark green foliage. *Begonia annulata* **HWJK2424** was a collection from our last Nepalese expedition where its patterned leaves could be seen clinging to vertical cliffs on our decent down the Mewa Kola. *B. sikkimensis* **BSWJ2692** is a fresh identity for the species we collected in Sikkim in 1994, where it grew in the shelter of the forest, it needed to as the diesel in our Jeep froze. *Remusatia hookeriana* **BSWJ2529** was a collection from that same area, a peculiar aroid with a stoloniferous habit, yet growing as an epiphyte with white ageing yellow spathes. Not many people realise that many *Polygonatum* also grow as epiphytes, such is the case with the very distinct *P. cathcartii* **BSWJ2429** a collection from the forests further west in Sikkim. A yellow flowering species with opposite leaves held on long purple mottled stems, not to be confused with *P. oppositifolium* an evergreen species from the same area. Two other species are joining our inventory this year from China, *P. prattii* is the smaller with scattered leaves on a stem to 30 cm tall and axillary pink-lilac flowers followed by pink fruit, *P. roseum* is of a similar habit but taller and narrower foliage. *P. tonkinensis* white/green flowering **HWJ861** is another epiphytic species (perfectly adaptable to terrestrial growing) similar in habit to our other collections but on larger plants with of course different coloured flowers. *Maianthemum paniculatum* purple flowered form **BSWJ9137** is a collection from our first expedition to Guatemala in 2001, where this large evergreen species grew as an epiphyte on shaded cliffs. Still in Guatemala *M. scilloideum* v. *roseum* **BSWJ10355** was supposed to be a common coloniser at high altitude, alas the over grazing of such areas over the years has restricted the species as well as this pink flowering form to only a few areas. Moving down a touch in altitude, *Bomarea* are valuable herbaceous climbers, which we are learning to site under shrubs in the garden. This avails them just enough frost protection to emerge the following year with a display of their *Alstroemeria*-like trumpet flowers. *B. hirsuta* **BSWJ10774** is a small species collected from the Paramo to the south of Bogota, with a congested cluster of bright orange flowers. *B. multiflora* **BSWJ10681** has larger flowers more of a yellow ageing to orange, although different from what we have grown as *B. caldasii* for many years, which we will also be offering this season. Along with another species that has

been here for a long while as *B. frondea* bearing huge umbels of long bright yellow flowers. *Aristea ecklonii* GWJ9469 from the mountains of Sri Lanka looked very similar to *Orthrosanthus* another blue flowering monocot that we saw seeding everywhere in Central America. Although I read that *A. ecklonii* originates from grassland and scrub of South Africa's Eastern Cape to Tanzania. *Globba hookeri* HWJCM471 is a member of the ginger family, which we collected a few bulbils of on our 1995 expedition to Nepal. For us it forms a slender plant to over a meter tall with slender terminal spikes of strange yellow flowers that transform to bulbils. *Hedychium coronarium* BSWJ3745 may be a more familiar member of the family, this represents a collection from Taiwan where it has naturalised long ago. *H. x raffillii* was a gift from Dan several years ago, every year it reliably produces a wonderful display of pale orange spidery flowers. There are a few collections of *Roscoea* that we are able to offer, *R. tibetica* BWJ7878 is a vigorous low growing plant with purple flowers, as is *R. tibetica f. atropurpurea* BWJ7640 but with deep purple flowers. Where as *R. cautleyoides* BWJ7781 is distinct enough to warrant a cultivar name as it has sizeable flowers born late in the season, see the description at the end. *Caulokaempferia petelotii* BSWJ11818 may well have to be cultivated in pots, not because it is tender, but small. We have grown this demure species with outlandish bright yellow flowers for its size ever since we found it in Vietnam clinging to mossy cliffs. *Heloniopsis koreana* BSWJ4173 is a collection of a recently described species with nodding purple-blue flowers. We are also adding another Japanese collection identified as *H. orientalis v. flavida* BSWJ11400 with white purple stained flowers (thought *flavida* meant yellow?). We will be offering a few new lilies amongst them is *Lilium lankongense* BWJ7691 my collection from China with grassy foliage and pale pink turk's-cap flowers. While *Tricyrtis nana* BSWJ11399 is a long awaited addition, abundant once we tapped into the seam of wild populations of this miniature yellow flowering species running through Shikoku. Although we have grown plants labelled as this species from cultivation in Japan these do differ. *Tofieldia aff coccinea* is another charming dwarfed plant with small sword-shaped leaves in fans and white-pink flowers. Already established in cultivation is *Iris orientalis*, which we were given seed of some years back. The resulting tall plants with large yellow-white flowers have performed so well over the years that customers are demanding that we offer it, who are we do deny them....

***Hydrangea aspera Kawakamii* 'Formosa' BSWJ7025**

Originates from a seed collection we gathered from Hsitou Experimental Forest, Central Taiwan. A fragile area constantly under attack from natural disasters, encompassing many endangered plant populations. It appears to be the lower limit for this species. Where it is distinct from other forms of *Kawakamii* in bearing larger foliage on longer petioles, with wide inflorescences to 60 cm across, on large shrubs 4–5 m tall in the wild. A feature that confused taxonomists into including this taxon into *H. aspera* ssp. *robusta*, which it evidently is not.

***Hydrangea serrata* 'Crûg Cobalt' BSWJ6241a**

One of our original seed collections from the Mt. Unzen area of Kyushu, Japan in 1998. Of a very floriferous dwarf form of this amenable deciduous lacecap species hydrangea, bearing corymbs of strong blue lace-cap (pink in acid soil) flowers May–August. While the foliage ages to a purple cast if exposed to sun, as in the field where we grow the mother plants, which are still only a metre tall without pruning at around 10 years old.

***Roscoea cautleyoides* 'Crûg's Late Lemon' BWJ7781**

Is from a seed collection I gathered in the Lijiang area of Yunnan in 2000, from a trail close to Yu Hu village where Joseph Rock used to reside. The plants were common along the trail, but only had seed in one small area. This collection is distinct in only coming into flower late in the summer typically starting July to August for us and continuing flowering into September and even October. The stems are green only brown stained at the base, while the flowers are pale yellow larger than normal, comparing favourably with other named clones.

**Remember that
we now offer
a mail order service
throughout Europe**

You can place your order online
at
www.mailorder.crug-farm.co.uk

Or if you prefer,
telephone 01248 670232



Small box



Medium box



Large box

*For that
special occasion ...
why not give one of our
Gift Vouchers?*

Events, Talks and Open Days at Crûg Farm Plants 2010

Friday 2nd April

*R.H.S. Garden Event

Garden & Woodland Walk 2pm – 5pm

Ticket includes tea and cake

Saturday 18th April

10am-5pm Dan Hinkley Day,

Illustrated talk and garden tour

Saturday 1st May

Welsh Historic Garden Trust, Plant Fair

10am-5pm

Sunday 30th May

National Garden Scheme Open Day

10am-5pm

Saturday 17th July

*R.H.S. Garden Event

A day in a Plant Collectors Garden

10.30am – 4.30pm

ticket includes morning coffee and afternoon
tea Please bring picnic lunch.

Saturday 18th September

*R.H.S. Garden Events

Plant Collecting 10.30am – 5pm

Ticket includes morning coffee and
afternoon tea please bring picnic lunch.

*R.H.S. Garden Events

(tickets only available in advance from
Crug Farm)

OPENING TIMES 2010

We are open 365 days of the year on
www.mailorder.crug-farm.co.uk

For on-site visits we open
March 13th to October 2nd*

MARCH TO JUNE

Thursday to Sunday 10am – 5pm
& Bank Holidays

JULY to OCTOBER*

Thursday to Saturday 10am – 5pm

*In the months of July to October
we close on Sundays and Bank Holidays

Also guided tours by arrangement

Open days & Event

Griffith's Crossing, Caernarfon, Gwynedd, LL55 1TU

Tel: (+44) 01248 670232

E-mail: info@crug-farm.co.uk

Mail Order: mailorder@crug-farm.co.uk

Descriptive catalogue: www.crug-farm.co.uk

Mail Order: www.mailorder.crug-farm.co.uk

Proprietors: Bleddyn & Sue Wynn-Jones

How to find us:

